Dash, S. B.
—; Pradhan, A. K.; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Nylon 6. IX. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 Using Peroxydiphosphate–Cu(II) Redox System (Note), 2673
Datye, K. V.
—; Duraiswamy, R.: Properties of Filaments Spun from Poly(ethylene terephthalate) Chips Containing PET–Dust, 3619
Davankov, V. A. See Tsyurupa, M. P., 685
Davidson, R. G. See Pearce, P. J., 283
—; Mathys, G. I.: Identification of Some Boron-Based Curing Agents in Cured Epoxy Systems by Computer-Assisted Infrared Spectroscopy, 1957
Davison, J. E. See Salyer, I. O., 2903
Day, M. See Carlsson, D. J., 715; Cooney, J. D., 2887
—; Cooney, J. D.; Suprunchuk, T.; Wiles, D. M.: A Combustibility Study of the Gaseous Pyrolysates Produced from Some High-Performance Fabrics, 3681
—; Suprunchuk, T.; Wiles, D. M.: Flammability Limits of Some Polymer Pyrolysate–Air Mixtures, 449
Dayan, S.
—; Gilli, J. M.; Sixou, P.: Rheological Studies of Cellulose Derivatives Solutions, 1527
De, S. K. See Murty, V. M., 3485; Pal, P. K., 659, 3333
De Candia, F.
—; Perullo, A.; Vittoria, V.; Peterlin, A.: Mechanical and Transport Properties of Drawn Low-Pressure Low-Density Polyethylene (Note), 1815
Decker, C.
Surface Protection of Poly(vinyl Chloride) by Photografting of Epoxy–Acrylate Coatings, 97
Dekkers, M. E. J.
—; Heikens, D.: The Effect of Interfacial Adhesion on the Tensile Behavior of Polystyrene–Glass-Bead Composites, 3809
Demartino, R. N.
Improved Processing of Thermotropic Liquid Crystalline Polyesters, 1805
Derini, M. A. E. See Gadalla, A. M., 3695
De Ruvo, A. See Rigdahl, M., 1599
Dessouki, A. M. See Hegazy, E-S. A., 1465
Dessy, R. E. See Groetsch, J. A., III, 161
Devadoss, E.
Cyclomatrix Poly(organo Phosphazenes)—Some Aspects of Synthesis, Characterization and Adhesive Heat Resistance, 921
Devmurari, C. V.
—; Chandorikar, M. V.: Prediction of Reverse Osmosis Performance of Cellulose Acetate Membrane, 3715
Dickman, O. See Stenberg, B., 2133
Dinev, P. D. See Gancheva, T. S., 1551
Doane, W. M. See Fanta, G. F., 2455, 3003
Dobkowski, Z.
Application of Multimethod Procedure for Characterization of Branched Polydisperse Polymers, 3105
Donaruma, L. G. See Shepitka, J. S., 3607, 3611
Dror, M. See Elsabee, M. Z., 2151
Duncan, T.
—; Koros, W. J.; Felder, R. M.: Permeation of Methyl Chloride and Benzene through FEP Teflon, 209
Duraiswamy, R. See Datye, K. V., 3619
Dutkiewicz, J.
Hydrolytic Degradation of Cured Urea–Formaldehyde Resin, 3313
Dutta, A.
—; Mashelkar, R. A.: Taylor Diffusion in Polymer Solutions: Falsification by Slip Effects (Erratum), 1549
Dvornic, P. R.
Wholly Aromatic Polyamide-Hydrazides. I. A Viscometrical Method for Monitoring of Condensation Polymerization Reactions, 2729
Eisenbach, C. D.
—; Sah, R. E.; Baur, G.: Characteristic Features of the Matrix Effect on the Stokes Shift of Fluorescent Dye Molecules in Pure and Plasticized Polymers, 1819
El-Alfy, E. A. See Hebeish, A., 1179
Eldin, S. H.
New Hydantoin Vinyl Ether Polymers, 343
El-Hennawi, I. M. See Aboul-Gheit, A. K., 3349; Younan, M. Y. A., 3247
El-Kharadly, E. See Hebeish, A., 1179
Ellis, T. S.
—; Karasz, F. E.; Brinke, G. T.: The Influence of Thermal Properties on the Glass Transition Temperature in Styrene/Divinylbenzene Network–Diluent Systems, 23
El-Rafie, M. H.
—; Khalil, E. M.; Abdel-Hafiz, S. A.; Hebeish, A.: Behavior of Chemically Modified Cottons towards Thermal Treatment. II. Cyanoethylated Cotton, 311
El-Rifai, M. A. See Younan, M. Y. A., 3247
Elsabee, M. Z.
—; Dror, M.; Berry, G. C.: Gradient Interpenetrating Polymer Networks. II. Polyacrylamide Gradients in Poly(ether Urethane), 2151
Enikolopian, N. S. See Zhorin, V. A., 2467
Enns, J. B.
—; Gillham, J. K.: Effect of the Extent of Cure on the Modulus, Glass Transition, Water Absorption, and Density of an Amine-Cured Epoxy, 2831
—; Gillham, J. K.: Time–Temperature–Transformation (TTT) Cure Diagram: Modeling the Cure Behavior of Thermosets, 2567
Eskander, S. B. See Ghattas, N. K., 1779

Fanta, G. F.
—; Swanson, C. L.; Burr, R. C.; Doane, W. M.: Graft Copolymers of Methyl Acrylate onto Bleached Wood Pulp: Preparation and Extrudate Properties (Note), 3003
—; Swanson, C. L.; Burr, R. C.; Doane, W. M.: Polysaccharide-*g*-Polystyrene Copolymers by Persulfate Initiation: Preparation and Properties (Note), 2455
Farris, R. J. See Chacko, V. P., 2701; Yilmazer, U., 3269, 3369
Favis, B. D.
—; Blanchard, L. P.; Leonard, J.; Prud'homme, R. E.: The Interaction of a Cationic Silane Coupling Agent with Mica, 1235
—; Prud'homme, R. E.; Leclerc, M.: Coupling of Polystyrene to a Silane-Treated Mica, 3565
Felder, R. M. See Duncan, T., 209
Feldman, D. See Blaga, A., 1033
Ferrillo, R. G.
—; Arendt, V. D.; Granzow, A. H.: DSC Study of the Polyurethane Formation from Poly(ethylene Adipate) and Toluene Diisocyanate, 2281
Ferruti, P. See Pesavento, M., 3361
Fewell, L. L.
—; Basi, R. J.; Parker, J. A.: Synthesis and Thermal Stability of Carborane-Containing Phosphazenes, 2659
Fleming, W. W. See Carothers, J. A., 1263
Fontanille, M. See Soum, A., 961
Fornes, R. E. See Kent, G. M., 3301; Venkatesh, G. M., 2247
Franson, N. M.
—; Peppas, N. A.: Influence of Copolymer Composition on Non-Fickian Water Transport through Glassy Copolymers, 1299
Frechet, J. M. J. See Calve, L., 1969
Frick, J. G., Jr.
—; Harper, R. J., Jr.: Acid Resistance of Aldehyde Finishes on Cotton (Note), 3875
Frye, J. S. See Sekiguchi, Y., 3513
Fujisawa, H. See Hozumi, K., 1651
Fujita, K. See Nomura, M., 2767
Fukazawa, A. See Matsumoto, A., 11
Fuller, T. J. See Alvino, W. M., 267

Funaki, A. See Tsubokawa, N., 2381
Furuhata, K. See Kojima, Y., 2401
Fuzes, L. See Dankovics, A., 3707
Fyfe, C. A. See Rudin, A., 2611

Gadalla, A. M.
—; Derini, M. A. E.: Mechanical Properties of Products of Thermocatalytic and Radiolytic Styrene–Acrylonitrile Copolymerization, 3695
Gajria, C.
—; Vijayendran, B. R.: Acid Distribution in Carboxylated Vinyl-Acrylic Latexes, 1667
Galland, D. See Vasquez, R., 1093
Gancheva, T. S.
—; Dinev, P. D.; Bukovska, K. G.: Investigation on the Effect of the Acid Number of the Plasticizer on Some PVC Properties, 1551
—; Kolarova, M. N.; Marinova, A. T.; Alaminov, C.: Effect of Metal Cyanourates on Some Properties of PVC, 443
Gao, C. J. See Huang, R. Y. M., 3063
Gardner, J. See McKay, G., 1767
Gent, A. N.
—; Pulford, C. T. R.: Mechanisms of Rubber Abrasion, 943
Ghatge, N. D. See Idage, B. B., 3559
Ghattas, N. K.
—; Ikladious, N. E.; Eskander, S. B.: Poly(methyl Methacrylate) as Incorporation Medium for Spent Ion-Exchange Resin. II. Simulated Resin, 1779
Ghosh, A. K. See Gupta, S. K., 1063
Gilbert, R. D. See Kent, G. M., 3301; Venkatesh, G. M., 2247
Gillberg, G.
—; Sawyer, L. C.; Promislow, A. L.: Tire Cord Adhesion—A TEM Study, 3723
Gillham, J. K. See Enns, J. B., 2567, 2831
Gilli, J. M. See Dayan, S., 1527
Gipstein, E. See Carothers, J. A., 1263
Giron, D. J. See Carraher, C. E., Jr., 1919
Gloor, W. E.
Extending the Continuum of Molecular Weight Distributions Based on the Generalized Exponential (Gex) Distributions, 795
Gogolewski, S.
—; Pennings, A. J.: Resorbable Materials of Poly(L-Lactide). II. Fibers Spun from Solutions of Poly(L-Lactide) in Good Solvents, 1045
Goswami, B. C. See Liang, B-R., 2011
Graczyk, T.
—; Hornof, V.: Effect of Stirring on Cellulose Graft Copolymerization, 1371
Granick, S.
Viscoelastic Properties of Sulfonated Ethylene–Propylene Terpolymer Neutralized with Zinc Cation, 1717
Granzow, A. H. See Ferrillo, R. G., 2281
Gray, M. E.
—; Harrison, I. R.: Influence of Low Magnetic Fields on Semicrystalline Polymers (Note), 3603
Greco, G. See Sheffer, H., 1701
Groetsch, J. A., III
—; Dessy, R. E.: A Surface Acoustic Wave (SAW) Probe for the Thermomechanical Characterization of Selected Polymers, 161
Gruenbaum, G.
—; Miltz, J.: Static Versus Dynamic Evaluation of Cushioning Properties of Plastic Foams, 135
Guo, M.
—; Bowman, J.: Processing–Mechanical Property Relationships in Injection Moldings of Polybutylene, 2341
Gupta, A. See Mukherjee, A. K., 1245, 1283, 2125, 2217
—; Cizmecioglu, M.; Coulter, D.; Liang, R. H.; Yavrouian, A.; Tsay, F. D.; Moacanin, J.: The Mechanism of Cure of Tetraglycidyl Diaminodiphenyl Methane with Diaminodiphenyl Sulfone, 1011
—; Cizmecioglu, M.; Coulter, D.; Liang, R. H.; Yavrouian, A.; Tsay, F. D.; Moacanin, J.: The Mechanism of Cure of Tetraglycidyl Diaminodiphenyl Methane with Diaminodiphenyl Sulfone (Erratum), 2131
Gupta, A. K. See Varma, I. K., 191
—; Singhal, R. P.; Agarwal, V. K.: Effect of Heat Treatment on the Dielectric Relaxation of Polyacrylonitrile. III. Role of Duration of Heat Treatment, 2745
—; Singhal, R. P.; Bajaj, P.; Agarwal, V. K.: Effect of Copolymerization with Methacrylonitrile on the Dielectric Relaxation of Polyacrylonitrile, 1167
Gupta, D. K.
The Mechanics of Tubular Fiber: Theoretical Analysis, 3573
Gupta, S. K. See Ramagopal, A., 2261
—; Kumar, A.; Ghosh, A. K.: Simulation of Reversible AA + B′B″ Polycondensations in Wiped Film Reactors, 1063
—; Kunzru, D.; Kumar, A.; Agarwal, K. K.: Simulation of Nylon 6 Polymerization in Tubular Reactors with Recycle, 1625
Guyot, A. See Michel, A., 1573

Habeger, C. C.
—; Baum, G. A.: The Microwave Dielectric Constants of Water–Paper Mixtures: The Role of Sheet Structure and Composition, 969
Habibullah, M. See Chen, C. C., 391
Hajkova, B. See Snuparek, J., Jr., 1421
Hamaoka, T. See Hozumi, K., 1651
Hamidi, A.
—; Abhiraman, A. S.; Asher, P.: Melt Spinning of Poly(ethylene Terephthalate) Structural Transitions in a Range of Spinning Speeds, 567
Hamielec, L. A.
—; Vlachopoulos, J.: Influence of Long Chain Branching on Extrudate Swell of Low-Density Polyethylenes, 2389
Han, C. D. See Kwack, T. H., 3419; Lem, K.-W., 779, 3185, 3207; Luo, H.-L., 3387; Ma, C.-Y., 2983
—; Ma, C.-Y.; Kim, Y. J.; Chuang, H.-K.; Kwack, T. H.: Rheological Properties of Branched Low-Density Polyethylene, 3435
—; Kwack, T. H.: Rheology–Processing–Property Relationships in Tubular Blown Film Extrusion. I. High-Pressure Low-Density Polyethylene, 3399
—; Lem, K.-W.: Chemorheology of Thermosetting Resins. I. The Chemorheology and Curing Kinetics of Unsaturated Polyester Resin, 3155
—; Lem, K.-W.: Rheology of Unsaturated Polyester Resins. I. Effects of Filler and Low-Profile Additive on the Rheological Behavior of Unsaturated Polyester Resin, 743
—; Lem, K.-W.: Rheology of Unsaturated Polyester Resins. II. Thickening Behavior of Unsaturated Polyester and Vinyl Ester Resins, 763
—; Ma, C.-Y.: Foam Extrusion Characteristics of Thermoplastic Resin with Fluorocarbon Blowing Agent. I. Low-Density Polyethylene Foam Extrusion, 2961
—; Ma, C.-Y.: Rheological Properties of Mixtures of Molten Polymer and Fluorocarbon Blowing Agent. I. Mixtures of Low-Density Polyethylene and Fluorocarbon Blowing Agent, 831
—; Ma, C.-Y.: Rheological Properties of Mixtures of Molten Polymer and Fluorocarbon Blowing Agent. II. Mixtures of Polystyrene and Fluorocarbon Blowing Agent, 851
Hanus, J. See Snuparek, J., Jr., 1421
Hara, J. See Saito, J., 2303
Harper, E. L. See Miller, W. K., 3585
Harper, R. J., Jr. See Frick, J. G., Jr., 3875
Harrison, I. R. See Gray, M. E., 3603
Hartmann, B. See Lee, G., 823
Hasegawa, H. See Higashimura, T., 241
Hashimoto, H. See Hozumi, K., 1651
Hashimoto, M. See Kunugi, T., 179
Hashizume, N. See Azuma, C., 543
Hatch, M. J. See Shepitka, J. S., 3607, 3611

Hayashi, F. See Hayashi, S., 3041
Hayashi, S.
—; Hirai, T.; Hayashi, F.; Hojo, N.: Permeation Characteristics of Poly(vinyl Alcohol)–Poly(vinyl Acetate) Composite Porous Membranes, 3041
Hayashi, T.
—; Ito, J.; Mitani, K.; Mizutani, Y.: Dynamic Mechanical Properties and Morphology of Styrene–Divinylbenzene Copolymer/Poly(vinyl Chloride) Systems, 2867
Hebeish, A. See El-Rafie, M. H., 311
—; Abou-Zeid, N. Y.; El-Kharadly, E.; Shalaby, S. E.; El-Alfy, E. A.; Abdel-Fattah, S. H.; Bayazeed, A. M.; Nasr, H.: Chemical Factors Affecting Soiling and Soil Release from Cotton-Containing Durable Press Fabric. VIII. Grafting of Polyester/Cotton Blend Fabrics with Carboxyl-Containing Polymer, 1179
—; Shalaby, S. E.; Waly, A.; Bayazeed, A. M.: Polymerization of Glycidyl Methacrylate with Poly(ethylene Terephthalate) Fibers Using Fe^{+2}–H_2O_2 Redox System, 303
Heffernan, J. G. See Akelah, A., 3137
Hegazy, E-S. A.
—; Ishigaki, I.; Rabie, A.; Dessouki, A. M.; Okamoto, J.: The Study on Radiation Grafting of Acrylic Acid onto Fluorine-Containing Polymers. IV. Properties of Membrane Obtained by Preirradiation Grafting onto Poly(tetrafluoroethylene–Hexafluoropropylene), 1465
Heikens, D. See Dekkers, M. E. J., 3809
Hellman, M. Y. See Bowmer, T. N., 2083, 2553
Hergenrother, P. M.
Polyphenylquinoxalines Containing Pendant Phenylethynyl Groups: Preliminary Mechanical Properties, 355
Higashimura, T.
—; Miyoshi, Y.; Hasegawa, H.: Selective Synthesis of Isobutene Trimers and Hexamers with Oxo Acid Catalysts, 241
Hirabayashi, Y.
—; Satoh, H.; Ogawa, H.; Ohtsuka, Y.: Amphiphilic Graft Copolymer Latex Membranes. VI. Poly(vinyl Alcohol)–Acrylonitrile–*N*-Hydroxyethyl Acrylamide Graft Copolymer Latex Membranes, 109
Hirai, T. See Hayashi, S., 3041
Hoang, T. V. See Michel, A., 1573
Hojo, N. See Hayashi, S., 3041
Hollmark, H. See Rigdahl, M., 1599
Hon, D. N.-S.
—; Srinivasan, K. S. V.: Mechanochemical Process in Cotton Cellulose Fiber, 1
Hornof, V. See Graczyk, T., 1371
Horska, J. See Agarwal, R. K., 3453
—; Stejskal, J.; Kratochvil, P.: Refractive Index Increments of Polyolefins (Note), 3873
Hourston, D. J.
—; Zia, Y.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane–Polyacrylate Systems. I. The Polyurethane Networks, 2139
—; Zia, Y.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane–Polyacrylate Systems. II. Polyurethane–Poly(methyl Acrylate) Semi-1-Interpenetrating Polymer Networks, 3745
—; Zia, Y.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane–Polyacrylate Systems. III. Polyurethane–Poly(methyl Acrylate) Semi-2-Interpenetrating Polymer Networks, 3759
Hozumi, K.
—; Kitamura, K.; Hashimoto, H.; Hamaoka, T.; Fujisawa, H.; Ishizawa, T.: Spectroscopic Elucidation of Chemical Structure of Plasma-Polymerized Pyridine, 1651
Hsieh, Y.-L.
—; Yeh, K.-N.: The Development of a New Technique for the Evaluation of Polymer Burning Behavior, 1389
Hsu, C. C. See Yang, W. L., 145
Hu, S. R. See Tabar, R. J., 1409
Huang, R. Y. M.
—; Gao, C. J.; Kim, J. J.: Ionically Crosslinked Poly(acrylic Acid) Membranes. IV. Composite Reverse Osmosis Membranes, 3063
Huang, S. J. See Benedict, C. V., 327, 335
Hudec, P. See Agarwal, R. K., 3453
Huglin, M. B.
—; Zakaria, M. B.: Some Practical Aspects of Preparing Polymeric Hydrogels via γ-Irradiation (Note), 2451

Ichijo, H.
Fibrous Support for Immobilization of Enzymes. II, 1447
Idage, B. B.
—; Vernekar, S. P.; Ghatge, N. D.: Effects of Low Molecular Weight Aliphatic Diols on the Polyurethane Elastomers Prepared from Hydroxyl-Terminated Polybutadienes, 3559
Ide, Y. See Chung, T.-S., 2999
Iguchi, S. See Kojima, K., 87
Iijma, T. See Thanh, V. V., 2813
Ikladious, N. E. See Ghattas, N. K., 1779
Inagaki, N.
—; Ohnishi, Y.; Chen, K. S.: Glow Discharge Polymerization of Tetramethylsilane by Capacitive Coupling of 20 kHz Frequency and Surface Hardening of Polyethylene Sheet, 3629
Inoue, H.
—; Kohama, S.: Silylation of Water Glass. IV. Synthesis and Characterization of Silylated Silicic Acids, 2499
Ioanid, A. See Luca, C., 3701
Ishida, H. See Xue, G., 2633
Ishigaki, I. See Hegazy, E-S. A., 1465
Ishihara, K.
—; Kim, M.; Shinohara, I.; Okano, T.; Kataoka, K.; Sakurai, Y.: Preparation of Photoresponsive Polymeric Adsorbent Containing Amphiphilic Polymer with Azobenzene Moiety and Its Application for Cell Adhesion Chromatography, 1321
Ishizawa, T. See Hozumi, K., 1651
Ito, J. See Hayashi, T., 2867
Ito, T. See Kunugi, T., 179
Iwamoto, R. See Mima, S., 1909
Iyer, K. R. K. See Iyer, P. B., 879
Iyer, P. B.
—; Iyer, K. R. K.; Patil, N. B.: On the Frequency Shift of the C=O Band in the Infrared Spectrum of Gamma-Irradiated Cellulose I and Cellulose II (Note), 879

Jang, Y. T.
—; Phillips, P. J.: Dielectric Loss Behavior of Crosslinked Polyethylene and Analog Materials, 1137
Janicki, J. See Wlochowicz, A., 1335
Jarrett, P. See Benedict, C. V., 327
Jena, S. See Padhi, N. P., 1811
Jeziorny, A.
The Structural Interpretation of DSC Curve Specificity of Poly(caprolactam) Fibers. I. The Specificity of the Element of the Curve Observed in the Temperature Range ~40–65°C, 1025
Jipo, Y. See Zhiquan, S., 1585
Johnson, J. F. See Chuang, J.-Y., 473; Stransky, P. D., 2593
Jonsson, G. See Adduci, J., 2069
Joshi, S. V.
—; Rao, A. V.: Studies on Polyurea Membrane, 1457

Kadariah See Sundardi, F., 3123
Kaetsu, I. See Kumakura, M., 295, 2167, 3849
Kaito, A.
—; Nakayama, K.; Kanetsuna, H.: Hot Rolling and Quench Rolling of Ultrahigh Molecular Weight Polyethylene, 1207

Kaji, K.
Grafting of Poly(acrylic Acid) onto Polyethylene Filament and Its Distribution, 3767
Kajima, Y. See Kojima, K., 87
Kalfoglou, N. K.
Compatibility of Low-Density Polyethylene–Poly(ϵ-caprolactone) Blends, 2541
Kalfoglou, N. K. See Koutinas, A. A., 123
Kamal, M. R.
—; Moy, F. H.: Microstructural Characterization of Injection-Molded Articles, 1787
Kanetsuna, H. See Kaito, A., 1207
Kapadia, R. N.
—; Vyas, M. V.: Synthesis and Characterization of Some New Chelating Amphoteric Ion-Exchange Resins, 983
Karasawa, M. See Yonetake, K., 3049
Karasz, F. E. See Chacko, V. P., 2701; Ellis, T. S., 23; Vukovic, R., 219, 1379
Kataoka, K. See Ishihara, K., 1321
Katchy, E. M.
Effects of Dry Blending on Morphology of PVC Powder Particles, 1847
Kay, T. A.
—; Rodriguez, F.: Polymerization of Acrylamide Using the Hydrogen Peroxide–Hydroxylamine Couple, 633
Kefalas, V. See Theocaris, P. S., 3641
Keinath, S. E.
—; Boyer, R. F.: Dynamic Mechanical Analysis of Polymers in the Liquid State: Use of a Perforated Shim Stock Support, 2105
Kent, G. M.
—; Memory, J. M.; Gilbert, R. D.; Fornes, R. E.: Variation in Radical Decay Rates in Epoxy as a Function of Crosslink Density (Note), 3301
Khalil, E. M. See El-Rafie, M. H., 311
Khune, G. D. See Shepitka, J. S., 3607, 3611
Kilmer, N. H. See Shepitka, J. S., 3607, 3611
Kim, J. J. See Huang, R. Y. M., 3063
Kim, K.-S.
Phosphorus-Containing Polymers. I. Low Temperature Polycondensation of Phenylphosphonic Dichloride with Bisphenols, 1119
Phosphorus-Containing Polymers. II. Preparation and Properties of Copoly(carbonate–Phosphonate)s (Note), 2439
Kim, M. See Ishihara, K., 1321
Kim, Y. J. See Han, C. D., 3435
Kingston, S. B. See Akelah, A., 3137
Kinjo, N.
—; Numata, S-I.; Koyama, T.; Narahara, T.: Synthesis and Viscoelastic Properties of New Thermosetting Resins Having Isocyanurate and Oxazolidone Rings in Their Molecular Structures, 1729
Kinoshita, A.
—; Naito, I.; Namariyama, Y.: Infrared Spectroscopy and Conformation of Alkyl Vinyl Ketone Monomer, 3093
—; Namariyama, Y.: Syntheses of Photocrosslinkable Polymer from Modified Poly(methyl Vinyl Ketone), 1255
Kishore, K.
—; Verneker, V. R. P.; Vasanthakumari, R.: Curing Reactions in Elastomers. II. Carboxy-Terminated Polybutadiene, 595
Kitamura, K. See Hozumi, K., 1651
Klasek, A.
—; Bacakova, M.; Simonikova, J.; Pavelka, F.; Tkac, J.: Ce(IV)-Ion-Initiated Grafting of Methyl Methacrylate onto Gelatin, 2715
Kobayashi, Y. See Yokouchi, M., 2209
Kochanowski, A. See Bortel, E., 2445
Koenig, J. L. See Cholli, A., 3497; Xue, G., 2633
Kohama, S. See Inoue, H., 2499
Kojima, K.
—; Iguchi, S.; Kajima, Y.; Yoshikuni, M.: Grafting of Methyl Methacrylate onto Collagen Initiated by Tributylborane, 87
Kojima, T. See Yanaki, T., 873
Kojima, Y.
—; Furuhata, K.; Miyasaka, K.: Hydraulic Permeability of Water in Poly(vinyl Alcohol) Membranes as a Function of the Degree of Hydration, 2401
Kolarova, M. N. See Gancheva, T. S., 443
Kontou, E. A. See Theocaris, P. S., 3145
Kops, J. See Adduci, J., 2069
Koros, W. J. See Duncan, T., 209
Korybut-Daszkiewicz, K. K. P. See Bower, D. I., 1195
Koshiba, M.
—; Yamaoka, T.; Tsunoda, T.: Dynamic Mechanical Properties of Photopolymerizable Poly(vinyl Alcohol)–Acrylate Monomer Blends, 3081
Koutinas, A. A.
—; Kalfoglou, N. K.: Modified Chlorinated Polypropylene as a Polymer Fire Retardant Additive in Polyhydrocarbons, 123
Koyama, T. See Kinjo, N., 1729
Kratochvil, P. See Agarwal, R. K., 3453; Horska, J., 3873
Kubo, M. See Nomura, M., 2767
Kubota, H.
—; Ogiwara, Y.: Photopolymerization Using Sensitizers of Binary System of Aromatic Hydrocarbon and Amine, 2425
Kulkarni, A. G.
—; Cheriyan, K. A.; Satyanarayana, K. G.; Rohatgi, P. K.: Studies on Moisture Sorption in Coir Fibers (*Cocos Nucifera L*), 625
Kumakura, M.
—; Kaetsu, I.: Immobilization of Microbial Cells on Cellulose–Polymer Surfaces by Radiation Polymerization, 3849
—; Kaetsu, I.: Immobilization of *Mortierella vinacea* Cells by Radiation Polymerization, 295
—; Kaetsu, I.: Influence of Hydration Ability of Monomer on Immobilization of Microbial Cells by Radiation Polymerization, 2167
Kumar, A. See Gupta, S. K., 1063, 1625; Ramagopal, A., 2261
—; Ramagopal, A.; Nath, R.: Isothermal Transient Current Studies in Cellulose Acetate Films, 2483
Kumazawa, H.
—; Sada, E.; Ando, T.: Diffusion of Dyes in Adsorptive Dyeing, 3817
Kunugi, T.
—; Ito, T.; Hashimoto, M.; Ooishi, M.: Preparation of High-Modulus and High-Strength Isotactic Polypropylene Fiber by Zone-Annealing Method, 179
Kunzru, D. See Gupta, S. K., 1625
Kuresevic, V. See Vukovic, R., 1379
Kuwazoe, H. See Tamura, S., 3467
Kwack, T. H. See Han, C. D., 3399, 3435
—; Han, C. D.: Rheology–Processing–Property Relationships in Tubular Blown Film Extrusion. II. Low-Pressure I w-Density Polyethylene, 3419

La Mantia, F. P.
—; Schifani, R.; Acierno, D.: Effect of a Filler on the Dielectric Properties of an Epoxy Resin, 3075
Laukhuf, W. L. S. See Ranade, G. R., 201
Leclerc, M. See Favis, B. D., 3565
Ledwith, A. See Abu-Zeid, M. E., 2317
Lee, G.
—; Hartmann, B.: Glass Transition Temperature Predictions in Some Epoxy Polymers, 823
Lelievre, J. See Cheer, R. L., 1829
Lem, K.-W. See Han, C. D., 743, 763, 3155
—; Han, C. D.: Chemorheology of Thermosetting Resins. II. Effect of Particulates on the Chemorheology and Curing Kinetics of Unsaturated Polyester Resin, 3185
—; Han, C. D.: Chemorheology of Thermosetting Resins. III. Effect of Low-Profile Additive on the Chemorheology and Curing Kinetics of Unsaturated Polyester Resin, 3207

—; Han, C. D.: Rheology of Unsaturated Polyester Resins. III. Effects of Filler and Low-Profile Additive on the Thickening Behavior of Unsaturated Polyester Resin, 779
Lenka, S.
—; Nayak, B. L.; Dash, M.: Photoinduced Graft Copolymerization. IX. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 in the Presence of Pyridine–Bromine Charge–Transfer Complex as Photoinitiator, 3665
Leonard, J. See Favis, B. D., 1235
Lerke, G.
—; Lerke, I.; Szymanski, W.: Stabilization of Gamma-Irradiated Poly(vinyl Chloride) by Epoxy Compounds. I. Radiation Yield of Hydrogen Chloride and Changes of Epoxy Group Concentration in Gamma-Irradiated PVS–Stabilizer Mixtures, 501
—; Lerke, I.; Szymanski, W.: Stabilization of Gamma-Irradiated Poly(vinyl Chloride) by Epoxy Compounds. III. Conjugated Double Bonds and Degree of Unsaturation in Gamma-Irradiated PVC–Stabilizer Mixtures, 519
Lerke, I. See Lerke, G., 501, 519
—; Szymanski, W.: Stabilization of Gamma-Irradiated Poly(vinyl Chloride) by Epoxy Compounds. II. Production of Hydroperoxides in Gamma-Irradiated PVS–Stabilizer Mixtures, 513
Leroux, J. See Van Gheluwe, P., 2053
Levenson, L. L. See Osterholm, J.-E., 1265
Levy, M. See Mey-Marom, A., 2411
Liang, B-R.
—; White, J. L.; Spruiell, J. E.; Goswami, B. C.: Polypropylene/Nylon 6 Blends: Phase Distribution Morphology, Rheological Measurements, and Structure Development in Melt Spinning, 2011
Liang, R. H. See Gupta, A., 1011, 2131
Logan, J. A. See Zachariades, A. E., 1837
Lokhande, H. T.
—; Nikte, V. V.; Shukla, S. R.: Swelling Behavior of Cotton Fibers in Benzylamine and 4-Amino Acetophenone, 1503
—; Pawar, A. D.; Shukla, S. R.; Chidambareswaran, P. K.; Patil, N. B.: Kinetics of Swelling of Cotton Fibers in Aqueous Ethylenediamine Solutions Using Moisture Regain Data, 2235
Lowry, R. E. See Brown, D. W., 3779
Luca, C.
—; Poinescu, Ig.; Avram, E.; Ioanid, A.; Petrariu, I.; Carpov, A.: Relationships between the Synthesis Conditions and the Characteristics of Anion Exchangers, 3701
Luo, H.-L.
—; Han, C. D.; Mijovic, J.: Effects of Coupling Agents on the Rheological Behavior and Physical/Mechanical Properties of Filled Nylon 6, 3387

Ma, C.-Y. See Han, C. D., 831, 851, 2961
—; Han, C. D.: Foam Extrusion Characteristics of Thermoplastic Resin with Fluorocarbon Blowing Agent. II. Polystyrene Foam Extrusion, 2983
Macarthur, A.
—; Stephens, H. L.: Reinforcement as a Hindrance in the Disentanglement of Unknotted Chains, 1561
MacKnight, W. J. See Vukovic, R., 219, 1379
Maeda, Y. See Toi, K., 3589
Mahmoud, G. S. See Abu-Zeid, M. E., 2317
Maiti, S.
—; Ray, A.: Processable Heat-Resistant Polymers. XIII. Structure–Property Relationship in Polyamideimides, 225
Marafi, M. A. See Abu-Zeid, M. E., 2317
Marchetti, A. See Bucknall, C. B., 2689
Marinova, A. T. See Gancheva, T. S., 443
Markova, K. See Troev, K., 3019
Marlianti, I. See Sundardi, F., 3123
Marom, G. See Cohn, D., 1981
Martin, F. D. See Shepitka, J. S., 3607, 3611
Martin, J. R. See Miller, B., 45
Martinez, G.
—; Mijangos, C.; Millan, J.: Influence of Tacticity on Thermal Degradation of PVC. V. Relation between the Nature of Labile Conformations and the Polyene Distribution in the Degraded Polymer, 33
Mashelkar, R. A. See Dutta, A., 1549
Masi, P.
—; Nicolais, L.; Mazzola, M.; Narkis, M.: Tensile Properties of Fiberglass-Reinforced Polyester Foams, 1517
Masuko, T. See Yonetake, K., 3049
Mathys, G. I. See Davidson, R. G., 1957
Matsuda, H. See Okabe, M., 2325
—; Miyoshi, N.: Crosslinking of Poly(ethylene Glycol) with Divalent Metal Salts of Mono(hydroxyethyl) Phthalate, Anhydride, and Bisepoxide, 3793
Matsumoto, A.
—; Fukazawa, A.; Oiwa, M.: Functionalized Allyl Resins. I. Photosensitivity of Partially Cinnamoylated Allyl Resins, 11
—; Nakane, T.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXXVIII. Telomerization of Diallyl Aromatic Dicarboxylates in the Presence of Carbon Tetrabromide, 1105
Matsumoto, T. See Okubo, M., 383
Maxwell, I. D.
—; Pethrick, R. A.: Dielectric Studies of Water in Epoxy Resins, 2363
Mazzola, M. See Masi, P., 1517
McCluskey, R. J. See Agrawal, R. K., 367
McKay, G.
—; Blair, H. S.; Gardner, J.: The Adsorption of Dyes in Chitin. III. Intraparticle Diffusion Processes, 1767
McMillin, C. R. See Murayama, T., 1871
Memory, J. M. See Kent, G. M., 3301
Mengoli, G.
—; Musiani, M. M.; Pelli, B.; Vecchi, E.: Anodic Synthesis of Sulfur-Bridged Polyaniline Coatings onto Fe Sheets, 1125
Meyer, G. C. See Widmaier, J. M., 1429
Meyer, J. A.
—; Blanks, R. F.: Solubility of Isobutane and Propane in Polyethylene at High Temperatures and Low Pressures, 725
Mey-Marom, A.
—; Rajbenbach, L. A.; Levy, M.: Flame Retardance in Polyester Fabric Radiolytically Grafted with Bromostyrene, 2411
Michel, A.
—; Bert, M.; Hoang, T. V.; Bussiere, P.; Guyot, A.: Main Functions of Iron Compounds as Smoke Suppressant in Poly(vinyl Chloride) Combustion, 1573
Michels, H. J. See Sardelis, K., 3255
Mijangos, C. See Martinez, G., 33
Mijovic, J. See Luo, H.-L., 3387
Milczarska, T. See Bukowski, A., 1001
Millan, J. See Martinez, G., 33
Miller, B.
—; Martin, J. R.; Turner, R.: Studies on Polymer Ignition and Development of a Relative Hazard Ranking Method, 45
Miller, W. K.
—; Harper, E. L.: Determination of Residual Monomer in Polymer Emulsions by Extractive Distillation and Gas Chromatography (Note), 3585
Miltz, J. See Gruenbaum, G., 135
Mima, S.
—; Miya, M.; Iwamoto, R.; Yoshikawa, S.: Highly Deacetylated Chitosan and Its Properties, 1909
Mishra, M. K.
—; Bhadani, S. N.: NO_2-Initiated Polymerization of Acrylonitrile, 2005
Misra, B. M. See Ramachandhran, V., 1641
Mitani, K. See Hayashi, T., 2867
Miura, M. See Takahashi, T., 579
Miya, M. See Mima, S., 1909

Miyasaka, K. See Kojima, Y., 2401
Miyoshi, N. See Matsuda, H., 3793
Miyoshi, Y. See Higashimura, T., 241
Mizutani, Y. See Hayashi, T., 2867
Moacanin, J. See Gupta, A., 1011, 2131
Mohsen, R. See Aboul-Gheit, A. K., 3349; Younan, M. Y. A., 3247
Molloy, H. M. See Carraher, C. E., Jr., 1919
Montaudo, G. See Ballistreri, A., 1743
Morbidelli, M.
—; Storti, G.; Carra, S.: Role of Micellar Equilibria on Modelling of Batch Emulsion Polymerization Reactors, 901
Morgan, P. W.
—; Corelli, J. C.: Electron Beam Irradiation Induced Grafting of Acrylonitrile to Polyethylene Powder, 1879
Mori, K.
—; Nakamura, Y.: Study on Triazine Thiols. IV. Action of Triazine Thiols and Their Metal Salts to Peroxide, 691
Morris, C. E. M. See Pearce, P. J., 283
Moy, F. H. See Kamal, M. R., 1787
Mukherjea, R. N.
—; Pal, S. K.; Sanyal, S. K.: Studies on Jute Fiber Composites with Polyesteramide Polyols as Interfacial Agent, 3029
Mukherjee, A. K.
—; Gupta, A.: Dehydrochlorinated Poly(vinyl Chloride)-*g*-Polystyrene. II. Characterization and Physical Properties, 1283
—; Gupta, A.: Dehydrochlorinated Poly(vinyl Chloride-*g*-Styrene). I. Effect of Synthesis Conditions, 1245
—; Sachdev, H. S.; Gupta, A.: Photoinduced Graft Copolymerization of Nylon 6 Fibers with Acrylamide. I. Effect of Synthesis Conditions (Note), 2125
—; Sachdev, H. S.; Gupta, A.: Photoinduced Graft Copolymerization of Nylon 6 Fibers with Acrylamide. II. Characterization and Evaluation of Properties, 2217
Munns, T. E.
—; Seferis, J. C.: High-Performance Epoxy Resins Cured in the Presence of BF_3 Catalyst, 2227
Murakami, K. See Tamura, S., 3467
Murayama, T.
—; McMillin, C. R.: Dynamic Mechanical Properties of Elastomers for Use in Circulatory Assist Devices, 1871
Murty, V. M.
—; De, S. K.; Bhagawan, S. S.; Sivaramakrishnan, R.; Athithan, S. K.: Viscoelastic Properties of Short-Fiber-Reinforced Rubber Composites and the Role of Adhesion, 3485
Musiani, M. M. See Mengoli, G., 1125

Nadgir, V. M. See Ranade, G. R., 201
Naito, I. See Kinoshita, A., 3093
Nakada, T. See Ogata, N., 699, 2433
Nakajima, N.
—; Ward, D. W.: Gelation and Fusion Profiles of PVC Dispersion Resins in Plastisols, 807
Nakamura, R. See Uragami. T., 1613
Nakamura, Y. See Mori, K., 691
Nakane, T. See Matsumoto, A., 1105
Nakatsuka, T.
—; Yamashita, S.: Reactions of Functional Polymethacrylates Grafted on Phosphate-Modified Calcium Carbonate, 3549
Nakayama, K. See Kaito, A., 1207
Namariyama, Y. See Kinoshita, A., 1255, 3093
Nanda, C. N. See Samal, R. K., 1311
Napp, S. J.
—; Yang, W.-H. M.; Peppas, N. A.: Oxygen Transport in Crosslinked, Silicon-Containing Copolymers of Methyl Methacrylate, 2793
Narahara, T. See Kinjo, N., 1729
Narkis, M. See Masi, P., 1517
Nasr, H. See Hebeish, A., 1179
Nath, R. See Kumar, A., 2483
Nayak, B. L. See Lenka, S., 3665; Samal, R. K., 1311
Nayak, P. L. See Dash, S. B., 2673
Negi, Y. S.
—; Choudhary, V.; Varma, I. K.; Varma, D. S.: Structure–Property Relationship in Copolyesters. I. Preparation and Characterization of Ethylene Terephthalate–Hexamethylene Terephthalate Copolymers, 2291
Nguyen, T.
—; Zavarin, E.; Barrall, E. M., II: Quantitative Studies by Differential Scanning Calorimetry of the Reaction between Hydrogen Peroxide and Lignocellulose, 647
Nicolais, L. See Masi, P., 1517
Nigam, K. D. P. See Nigam, K. M., 887
Nigam, K. M.
—; Nigam, K. D. P.: An Approach in Modeling the Tubular Polymer Reactor, 887
Nikte, V. V. See Lokhande, H. T., 1503
Nishii, K. See Yanaki, T., 873
Nishitani, T.
—; Takeuchi, N.: Creep Birefringence in Cellulose Nitrate and Cellulose Acetate under Superimposed Tensile and Hydrostatic Stresses (Note), 1539
Nofal, E. E. See Abu-Zeid, M. E., 2317
Nomura, M.
—; Kubo, M.; Fujita, K.: Kinetics of Emulsion Copolymerization. III. Prediction of the Average Number of Radicals per Particle in an Emulsion Copolymerization System, 2767
Numata, S-I. See Kinjo, N., 1729

Ogata, N. See Azuma, C., 543
—; Sanui, K.; Azuma, C.; Tanaka, H.; Oguchi, K.; Nakada, T.; Takahashi, Y.: Relationship between Electron Sensitivity and Chemical Structure of Polymers as EB Resists. I. Electron Sensitivity of Various Polyamides, 699
—; Sanui, K.; Oguchi, K.; Nakada, T.; Takahashi, Y.: Relationship between Electron Sensitivity and Chemical Structures of Polymers as EB Resists. II. Acetalized Polyvinyl Alcohol as New Negative EB Resists (Note), 2433
Ogawa, H. See Hirabayashi, Y., 109
Ogiwara, Y. See Arai, K., 3309; Kubota, H., 2425
Oguchi, K. See Ogata, N., 699, 2433
Ohnishi, Y. See Inagaki, N., 3629
Ohtsuka, Y. See Hirabayashi, Y., 109
Oiwa, M. See Matsumoto, A., 11, 1105
Okabe, M.
—; Matsuda, H.: Determination of Number-Average and Weight-Average Molecular Weights of Polymer Sample from Diffusion and Sedimentation Velocity Measurements in Theta Solvent, 2325
Okamoto, J. See Hegazy, E-S. A., 1465
Okano, T. See Ishihara, K., 1321
Okubo, M.
—; Seike, M.; Matsumoto, T.: Studies on Suspension and Emulsion. LX. Composite Polymer Emulsion Film with Temperature-Sensitive Properties, 383
Olson, D. R.
UV Absorber Progenitors: Photo-Fries Rearrangements of Sulfonate Esters of Hydroxyphenylbenzotriazoles, 1159
Onozato, K. See Suzuki, F., 1949
Ooishi, M. See Kunugi, T., 179
Orsini, M. See Solaro, R., 3651
Osterholm, J.-E.
—; Yasuda, H. K.; Levenson, L. L.: Thermal Decomposition Kinetics of Iodine-Doped Polyacetylene in Vacuum, 1265
Otocka, E. P.
—; Curran, S.; Porter, R. S.: Photooxidation of Polystyrene: Irradiation at 254 and 365 nm, 3227
Otomo, S.
—; Sako, T.; Yamamoto, Y.; Yamashita, S.: Studies of Tetrazoles as Rubber Chemicals. I. Preparation and Characterization of Reactive Antioxidants Based on Tetrazoles, 3671

Padhi, N. P.
—; Jena, S.; Singh, B. C.; Tripathy, S. S.: Graft Polymerization of Methyl Methacrylate onto Silk Fibers with Ce(VI)–Sucrose Redox System (Note), 1811
Paik, G. See Sheffer, H., 1701
Pal, P. K.
—; Chakravarty, S. N.; De, S. K.: Effect of Clay on Vulcanization, Network Structure, and Technical Properties of Natural Rubber in the Presence of Silane Coupling Agents, 659
—; De, S. K.: Effect of Reinforcing Carbon Black on Network Structure, Technical Properties, and Failure Mode of EPDM Rubber, 3333
Pal, S. K. See Mukherjea, R. N., 3029
Papanicolaou, G. C. See Theocaris, P. S., 3145
Papazian, H. A.
On Zhurkov's Approach to the Strength of Solids, 2623
Parker, J. A. See Fewell, L. L., 2659
Pati, N. C. See Dash, S. B., 2673
Patil, N. B. See Iyer, P. B., 879; Lokhande, H. T., 2235
Paul, D. R. See Traugott, T. D., 2947; Woo, E. M., 1347
Pavelka, F. See Klasek, A., 2715
Pawar, A. D. See Lokhande, H. T., 2235
Pearce, E. M. See Chen, C. S., 1077
Pearce, P. J.
—; Davidson, R. G.; Morris, C. E. M.: Aging and Performance of Structural Film Adhesives. II. Comparison of Two Nitrile–Epoxy Systems, 283
Pelli, B. See Mengoli, G., 1125
Pennings, A. J. See Gogolewski, S., 1045; Torfs, J. C. M., 57, 77
Peppas, N. A. See Franson, N. M., 1299; Napp, S. J., 2793; Zieminski, K. F., 1751
Perullo, A. See De Candia, F., 1815
Pesavento, M.
—; Soldi, T.; Ferruti, P.; Barbucci, R.; Benvenuti, M.: Applied Macroinorganics. IV. Effect of the Crosslinking Agent on Protonation, and Metal Ions Complexing Abilities, of Ion Exchange Resins with Poly(amido–Amine) Structure, 3361
Peterlin, A. See De Candia, F., 1815
Pethrick, R. A. See Maxwell, I. D., 2363
Petrariu, I. See Luca, C., 3701
Petropoulos, J. H. See Thanh, V. V., 2813
Phillips, P. J. See Jang, Y. T., 1137
Pineri, M. See Vasquez, R., 1093
Plank, C. A. See Ranade, G. R., 201
Poinescu, Ig. See Luca, C., 3701
Porter, R. S. See Otocka, E. P., 3227; Wang, L.-H., 1439
Postle, R. See Danilatos, G. D., 1221
Pradhan, A. K. See Dash, S. B., 2673
Promislow, A. L. See Gillberg, G., 3723
Prud'homme, R. E. See Favis, B. D., 1235, 3565
Puglisi, C. See Ballistreri, A., 1743
Pulford, C. T. R.
Antioxidant Effects during Blade Abrasion of Natural Rubber, 709
Pulford, C. T. R. See Gent, A. N., 943

Qayyum, M. M.
—; White, J. R.: Birefringence of Injection-Molded Glassy Polymers During Relaxation and Recovery, 2033
Quadrat, O. See Agarwal, R. K., 3453

Rabie, A. See Hegazy, E-S. A., 1465
Rabiej, S. See Wlochowicz, A., 1335
Rahman, A.
—; Brown, C. W.: Effect of pH on the Critical Micelle Concentration of Sodium Dodecyl Sulphate, 1331
Rajbenbach, L. A. See Mey-Marom, A., 2411
Ramachandhran, V.
—; Misra, B. M.: Concentration of Radioactive Liquid Streams by Membrane Processes, 1641
Ramagopal, A.
—; Kumar, A.; Gupta, S. K.: Optimal Temperature Profiles for Nylon 6 Polymerization in Plug-Flow Reactors, 2261
Ranade, G. R.
—; Nadgir, V. M.; Plank, C. A.; Laukhuf, W. L. S.: Transient Sorption of Sulfur Dioxide in Epoxy Resin of Aliphatic Diglycidyl Ether, 201
Rao, A. V. See Joshi, S. V., 1457
Rao, B. S. See Varma, I. K., 2805
Rasmussen, J. K.
—; Smith, H. K., II: Polyamide–Polyether Copolymers: A New Family of Impact-Resistant Thermoplastics, 2473
Ray, A. See Maiti, S., 225
Ray, W. H. See Schork, F. J., 407
Rigdahl, M.
—; Westerlind, B.; Hollmark, H.; De Ruvo, A.: Introduction of Polymers into Fibrous Structures by Solution Impregnation, 1599
Robeson, L. M.
—; Crisafulli, S. T.: Microcavity Formation in Engineering Polymers Exposed to Hot Water, 2925
Roczniak, K.
—; Biernacka, T.; Skarzynski, M.: Some Properties and Chemical Structure of Phenolic Resins and Their Derivatives, 531
Rodriguez, F. See Kay, T. A., 633
Rohatgi, P. K. See Kulkarni, A. G., 625
Rohn, C. L.
Tear Strength Theory of Semicrystalline Polymers, 3011
Ross, J. F.
Continuous Polymerization Parameters from Batch Kinetic Data (Note), 3593
Rudin, A.
—; Fyfe, C. A.; Vines, S. M.: Gel Permeation Chromatographic Analyses of Resole Phenolic Resins, 2611
Runyon, J. R.
Differential Gel Permeation Chromatography for Quality Control, 559

Sachdev, H. S. See Mukherjee, A. K., 2125, 2217
Sacher, E.
Water Permeation in Polymer Films. V. Parylene D (Note), 1535
Sada, E. See Kumazawa, H., 3817
Sah, R. E. See Eisenbach, C. D., 1819
St. Clair, A. K.
—; Taylor, L. T.: A Comparison of Physical and Mechanical Properties of Polyimide Films Containing Different Metal Ions, 2393
Saito, J.
—; Teramae, N.; Hara, J.; Toda, S.; Tanaka, S.: Analysis of Thermal Oligomerization Mechanism of Styrene by Field Desorption Mass Spectrometry, 2303
Sako, T. See Otomo, S., 3671
Sakurai, K. See Takahashi, T., 579
Sakurai, Y. See Ishihara, K., 1321
Salyer, I. O.
—; Davison, J. E.: Thermal-Energy Storage in Crosslinked Pellets of High-Density Polyethylene for Home Heating and Cooling via Off-Peak Electric Power Utilization, 2903
Samal, R. K.
—; Nanda, C. N.; Satrusallya, S. C.; Nayak, B. L.; Suryanarayan, G. V.: Grafting of Vinyl Monomers onto Silk Fibers: Trivalent-Manganese-Initiated Graft Copolymerization of Acrylamide onto Silk Fibers, 1311
Sanders, E. M.
—; Zeronian, S. H.: An Analysis of the Moisture-Related Properties of Hydrolyzed Polyester (Erratum), 2465
Sangita See Varma, I. K., 191
Sanui, K. See Azuma, C., 543; Ogata, N., 699, 2433

Sanyal, S. K. See Mukherjea, R. N., 3029
Sardelis, K.
—; Michels, H. J.; Allen, G.: Toughened Polystyrene Containing High *cis*-1,4-Polybutadiene Rubber, 3255
Satoh, H. See Hirabayashi, Y., 109
Satrusallya, S. C. See Samal, R. K., 1311
Satyanarayana, K. G. See Kulkarni, A. G., 625
Sauer, J. A. See Chen, C. C., 391
Sawyer, L. C. See Gillberg, G., 3723
Scala, L. C. See Alvino, W. M., 267
Scamporrino, E. See Ballistreri, A., 1743
Schifani, R. See La Mantia, F. P., 3075
Schork, F. J.
—; Ray, W. H.: On-Line Measurement of Surface Tension and Density with Applications to Emulsion Polymerization, 407
Schroeder, J. A. See Carraher, C. E., Jr., 1919
Seferis, J. C. See Munns, T. E., 2227
Segudovic, N. See Vukovic, R., 1379
Seike, M. See Okubo, M., 383
Sekiguchi, Y.
—; Frye, J. S.; Shafizadeh, F.: Structure and Formation of Cellulosic Chars, 3513
Seto, S. See Yokouchi, M., 2209
Shafizadeh, F. See Sekiguchi, Y., 3513
Shalaby, S. E. See Hebeish, A., 303, 1179
Sharma, C. P.
Comments on "Effect of Crystallinity of Condensation Polymers on Platelet Adhesion" (Letter), 437
Sharma, R. K. See Aharoni, S. M., 2177
Sheffer, H.
—; Greco, G.; Paik, G.: The Characterization of Styrene–β-Pinene Polymers, 1701
Shepitka, J. S.
—; Case, C. E.; Donaruma, L. G.; Hatch, M. J.; Kilmer, N. H.; Khune, G. D.; Martin, F. D.; Ward, J. S.; Wilson, K. V.: Partially Imidized, Water-Soluble Polymeric Amides. I. Partially Imidized Polyacrylamide and Polymethacrylamide, 3611
—; Case, C. E.; Donaruma, L. G.; Hatch, M. J.; Kilmer, N. H.; Khune, G. D.; Martin, F. D.; Ward, J. S.; Wilson, K. V.: The Preparation of High-Viscosity, Partially Hydrolyzed Polymethacrylamides, 3607
Sherman, L. R.
A Model for the Controlled Release of Tri-*n*-Butyltin Fluoride from Polymeric Molluscicides and Mosquito Larvicides, 2823
Sherrington, D. C. See Akelah, A., 3137
—; Aitken, D.: Comment on "Electrophilic Substitution of Polystyrene with Aromatic Anhydrides" (Letter), 2463
Sheu, M.-F. See Chang, S., 3289
Shimanuki, T. See Yonetake, K., 3049
Shinde, B. M. See Adduci, J., 2069
Shinohara, I. See Ishihara, K., 1321
Shukla, S. R. See Lokhande, H. T., 1503, 2235
Shultz, A. R.
—; Young, A. L.: Glass Transitions of Styrene/α-Methylstyrene Statistical Copolymers and of Their Blends with PPO Resin, 1677
—; Young, A. L.; Alessi, S.; Stewart, M.: Glass Transitions of Poly(bisphenol-A Carbonate)/Ultraviolet Light Stabilizer Blends by DSC and TOA, 1685
Shuxiu, X. See Zhiquan, S., 1585
Sikdar, S. K.
Precipitative Polymerization for Polycarbonate: A Simultaneous Reaction–Precipitation Technique, 587
Simonikova, J. See Klasek, A., 2715
Singh, B. C. See Padhi, N. P., 1811
Singhal, R. P. See Gupta, A. K., 1167, 2745
Siove, A. See Soum, A., 961
Sivaramakrishnan, R. See Murty, V. M., 3485
Sivashinsky, N.
—; Tanny, G. B.: Ionic Heterogeneities in Sulfonated Polysulfone Films, 3235
Sixou, P. See Dayan, S., 1527
Skarzynski, M. See Roczniak, K., 531
Smith, A. C. See Briscoe, B., 3827
Smith, H. K., II See Rasmussen, J. K., 2473
Smith, L. E. See Brown, D. W., 3779
Smook, J. See Torfs, J. C. M., 57
Snuparek, J., Jr.
—; Bidman, A.; Hanus, J.; Hajkova, B.: Water Absorption in Acrylic Latex Films, 1421
Solaro, R.
—; D'Antone, S.; Orsini, M.; Andruzzi, F.; Chiellini, E.: Hybrid Copolymerization of Alkyl Vinyl Ethers with Glycidyl Ethers, 3651
Soldi, T. See Pesavento, M., 3361
Sone, Y. See Tsubokawa, N., 2381
Soum, A.
—; Siove, A.; Fontanille, M.: Ethylene–Styrene Diblock Copolymers: Synthesis by Ziegler–Natta Catalysis and Identification, 961
Spathis, G. See Theocaris, P. S., 3641
Spencer, H. G.
—; Yavorsky, J. A.: Solubility and Diffusion of Propane in Blends of Polystyrene and Poly(vinyl Methyl Ether) at $T > T_g$, 2937
Spruiell, J. E. See Liang, B-R., 2011
Srinivasan, K. S. V. See Hon, D. N.-S., 1
Stein, R. S. See Tabar, R. J., 1409
Stejskal, J. See Agarwal, R. K., 3453; Horska, J., 3873
Stenberg, B.
—; Dickman, O.: Stress–Relaxation of Natural Rubber under Compression—Dependence on Oxygen Concentration, 2133
Stephens, H. L. See Macarthur, A., 1561
Stewart, M. See Shultz, A. R., 1685
Storti, G. See Morbidelli, M., 901
Stransky, P. D.
—; Yates, W. R.; Johnson, J. F.: Accelerated Heat Age Testing of Phenolics: Applicable Temperature Range, 2593
Suetsugu, Y.
—; White, J. L.: The Influence of Particle Size and Surface Coating of Calcium Carbonate on the Rheological Properties of Its Suspensions in Molten Polystyrene, 1481
Sugihara, M. See Uragami, T., 1361, 1613
Sullivan, J. L.
Viscoelastic Properties of a Gum Vulcanizate at Large Static Deformations, 1993
Viscoelastic Properties of a Gum Vulcanizate at Large Static Deformations (Erratum), 3877
Sun, T. See Cholli, A., 3497
Sundardi, F.
—; Kadariah; Marlianti, I.: Thermal Stability of Grafted Fibers, 3123
Sundelof, L.-O. See Wirbrant, A., 3281
Suprunchuk, T. See Carlsson, D. J., 715; Day, M., 449, 3681
Suryanarayan, G. V. See Samal, R. K., 1311
Suzuki, F.
—; Onozato, K.: Pervaporation of Methanol–Water Mixture of Poly(γ-methyl L-glutamate) Membrane and Synergetic Effect of Their Mixture on Diffusion Rate, 1949
Swanson, C. L. See Fanta, G. F., 2455, 3003
Szobota, J. S. See Aharoni, S. M., 2177
Szymanski, W. See Lerke, G., 501, 519; Lerke, I., 513

Tabar, R. J.
—; Hu, S. R.; Stein, R. S.: Light Scattering Studies of Hi-Impact Polystyrene, 1409
Tabata, K. See Yanaki, T., 873
Tagawa, T. See Tai, K., 2527
Tai, K.
—; Arai, Y.; Tagawa, T.: The Simulation of Hydrolytic Polymerization of ϵ-Caprolactam in Various Reactors: A Simulation Model for the Tubular Reactor with Heat Exchanger and Its Numerical Solution, 2527
Takahashi, S.
Determination of Cohesive Energy Densities of Unsaturated Polyester Resins from Swelling Measurements, 2847

Takahashi, T.
—; Miura, M.; Sakurai, K.: Deformation Band Studies of Axially Compressed Poly(*p*-Phenylene Terephthalamide) Fiber, 579
Takahashi, Y. See Ogata, N., 699, 2433
Takeuchi, N. See Nishitani, T., 1539
Tamura, S.
—; Murakami, K.; Kuwazoe, H.: Isothermal Degradation of *cis*-1,4-Polyisoprene Vulcanizates, 3467
Tanaka, H. See Ogata, N., 699
Proton Spin–Lattice and Spin–Spin Relaxation Times in Isotactic Polypropylene. II. Effects of Stretching Ratio and Temperature, 1707
Tanaka, S. See Saito, J., 2303
Tanny, G. B. See Sivashinsky, N., 3235
Taylor, L. T. See St. Clair, A. K., 2393
Taylor, M. L. See Carraher, C. E., Jr., 1919
Teh, J. W.
Structure and Properties of Polyethylene–Polypropylene Blend, 605
Teramae, N. See Saito, J., 2303
Thanh, V. V.
—; Petropoulos, J. H.; Iijma, T.: Sorption of Simple Ions by Nylon 6, 2813
Theocaris, P. S.
—; Kefalas, V.; Spathis, G.: Retardation Spectra for the Existence of Interphase in Fiber Composites, 3641
—; Papanicolaou, G. C.; Kontou, E. A.: Interrelation between Moisture Absorption, Mechanical Behavior, and Extent of the Boundary Interphase in Particulate Composites, 3145
Tiernan, T. O. See Carraher, C. E., Jr., 1919
Tkac, J. See Klasek, A., 2715
Toda, S. See Saito, J., 2303
Todorov, K. See Troev, K., 431, 2491
Toi, K.
—; Maeda, Y.; Tokuda, T.: Numerical Solution of the Time-lag Diffusion Incorporating the Dual Sorption Model (Note), 3589
Tokuda, T. See Toi, K., 3589
Tompkins, T. See Carothers, J. A., 1263
Torfs, J. C. M.
—; Pennings, A. J.: Longitudinal Growth of Polymer Crystals from Flowing Solutions. XI. The Friction with the Rotor Surface, 77
—; Smook, J.; Pennings, A. J.: Longitudinal Growth of Polymer Crystals from Flowing Solutions. X. Conditions for Continuous Growth on the Rotor Surface, 57
Traugott, T. D.
—; Barlow, J. W.; Paul, D. R.: Mechanical Compatibilization of High Density Polyethylene–Poly(ethylene Terephthalate) Blends, 2947
Tripathy, S. S. See Padhi, N. P., 1811
Troev, K.
—; Borisov, G.; Todorov, K.: Compatibility with Freon 11 of Oligoesteralcohols Synthesized from Waste Products from the Production of Dimethylterephthalate (Note), 431
—; Markova, K.; Borisov, G.: On the Relationship between the Thermal Properties of Modified Polyurethane Elastomers and the Efficiency of Antipyrens, 3019
—; Todorov, K.; Borisov, G.: Synthesis of Rigid Polyurethane Foams from Oligoester Alcohols Based on the Residues from the Distillation of Crude Dimethyl Terephthalate and Recrystallization of the Dimethyl Terephthalate/Dimethyl Isophthalate Fraction, 2491
Tsay, F. D. See Gupta, A., 1011, 2131
Tsubokawa, N.
—; Funaki, A.; Sone, Y.: Grafting of Polyesters onto Carbon Black. III. Polymerization of β-Propiolactone Initiated by Quaternary Ammonium Carboxylate Groups on the Surface of Carbon Black, 2381
Tsunoda, T. See Koshiba, M., 3081
Tsyurupa, M. P.
—; Volynskaya, A. V.; Belchich, L. A.; Davankov, V. A.: Thermal Effects of Interaction between Macronet Isoporous Styrene Polymers and Solvents or Precipitators for Linear Polystyrene, 685
Turner, R. See Miller, B., 45

Uragami, T.
—; Watanabe, S.; Nakamura, R.; Yoshida, F.; Sugihara, M.: Studies on Syntheses and Permeabilities of Special Polymer Membranes. XLVII. Active Transport and Selective Transport of Metal Ions through Membranes from Poly(isobutylene-Alternative Co-Maleic Anhydride) and Poly(vinyl Alcohol), 1613
—; Yoshida, F.; Sugihara, M.: Studies of Synthesis and Permeabilities of Special Polymer Membranes. LI. Active Transport of Halogen Ions through Chitosan Membranes, 1361

Van Gheluwe, P.
—; Leroux, J.: Sequential Nature of the Exothermic Reactions Leading to the Formation of Flexible Polyurethane Foams, 2053
Vantelon, J. P. See Breillat, C., 461
Varma, D. S. See Negi, Y. S., 2291; Varma, I. K., 191
Varma, I. K. See Negi, Y. S., 2291
—; Gupta, A. K.; Sangita; Varma, D. S.: Addition Polyimides. I, 191
—; Rao, B. S.: Polyimides. I. Preparation and Properties of Phosphorus-Containing Polyimides, 2805
Vasanthakumari, R. See Kishore, K., 595
Vasquez, R.
—; Avalos, J.; Volino, F.; Pineri, M.; Galland, D.: Electron Spin Resonance Measurements of Cu^{++} Distribution in Cation Exchange Membranes, 1093
Vecchi, E. See Mengoli, G., 1125
Venkatesh, G. M.
—; Fornes, R. E.; Gilbert, R. D.: Wide-Angle X-Ray Diffraction Studies of Nylon–Ionomer Blends, 2247
Verdu, J. See Bellenger, V., 2599, 2677
Vernekar, S. P. See Idage, B. B., 3559
Verneker, V. R. P. See Kishore, K., 595
Vernick, D. A. See Aharoni, S. M., 2177
Vijayendran, B. R. See Gajria, C., 1667
Vines, S. M. See Rudin, A., 2611
Vitalini, D. See Ballistreri, A., 1743
Vittoria, V. See De Candia, F., 1815
Vlachopoulos, J. See Hamielec, L. A., 2389
Volino, F. See Vasquez, R., 1093
Volynskaya, A. V. See Tsyurupa, M. P., 685
Vroom, W. I. See Bowmer, T. N., 2083, 2553, 3527
Vukovic, R.
—; Karasz, F. E.; MacKnight, W. J.: Compatibility of Some Fluorosubstituted Styrene Polymers and Copolymers in Blends with Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and with Polystyrene, 219
—; Kuresevic, V.; Segudovic, N.; Karasz, F. E.; Macknight, W. J.: Compatibility of Poly(2,6-Dimethyl-1,4-Phenylene Oxide)/Poly(fluorostyrene-co-Chlorostyrene) Blends, 1379
Vyas, M. V. See Kapadia, R. N., 983

Wakelyn, N. T.
Observations from an X-Ray Diffraction Study of Poly(ethylene Terephthalate) Film and Fiber (Note), 3599
Waly, A. See Hebeish, A., 303
Wang, L.-H.
—; Porter, R. S.: The Surface Orientation of Polystyrene Measured by Liquid Contact Angle, 1439
Ward, D. W. See Nakajima, N., 807
Ward, I. M. See Bower, D. I., 1195

Ward, J. S. See Shepitka, J. S., 3607, 3611
Watanabe, S. See Uragami, T., 1613
Wei, N.
The 3-Dimensional Phase Diagram in Quaternary Systems of Polymers and Solvents, 2755
Weiss, R. A.
Time-Dependent Characteristics of Sulfonated EPDM Containing Zinc Stearate. I. Thermal Behavior, 3321
Westerlind, B. See Rigdahl, M., 1599
Wheeler, D. D. See Xue, G., 2633
White, J. L. See Liang, B-R., 2011; Suetsugu, Y., 1481
White, J. R. See Qayyum, M. M., 2033
Widmaier, J. M.
—; Meyer, G. C.: Adhesion of Block Copolymers to Glass: Lap Shear Strengths as a Function of Bonding Conditions, 1429
Wiles, D. M. See Carlsson, D. J., 715; Cooney, J. D., 2887; Day, M., 449, 3681
Williams, H. L. See Wong, D. T. H., 2187
Williams, R. J. J. See Cuadrado, T. R., 485
Williams, R. S.
Effect of Grafted UV Stabilizers on Wood Surface Erosion and Clear Coating Performance, 2093
Wilson, K. V. See Shepitka, J. S., 3607, 3611
Wirbrant, A.
—; Sundelof, L.-O.: Permeant Saturation and Regulation of Membrane Transport, 3281
Wlochowicz, A.
—; Rabiej, S.; Janicki, J.: Determination of the Birefringence of an Ideal Polyester Fiber (PET) with Regard to the Intermolecular Interactions, 1335
Wong, D. T. H.
—; Williams, H. L.: Dynamic Mechanical and Vibration Damping Properties of Polyurethane Compositions, 2187
Woo, E. M.
—; Barlow, J. W.; Paul, D. R.: Miscible Blends of a Vinylidene Chloride/Vinyl Chloride Copolymer with Aliphatic Polyesters, 1347
Wu, W.-L. See Yang, C.-P., 2509
Wust, C. J., Jr.
—; Bogue, D. C.: Stress Optical Behavior in Polystyrene; Residual Stresses and Birefringences in Large, Quenched Samples, 1931

Xianglan, K. See Zhiquan, S., 1585
Xiangyu, S. See Zhiquan, S., 1585
Xue, G.
—; Koenig, J. L.; Wheeler, D. D.; Ishida, H.: Reinforcement Mechanism of Polyester-Fiber-Reinforced Rubber—A Model Study, 2633

Yamamoto, Y. See Otomo, S., 3671
Yamaoka, T. See Koshiba, M., 3081
Yamashita, S. See Nakatsuka, T., 3549; Otomo, S., 3671
Yanaki, T.
—; Nishii, K.; Tabata, K.; Kojima, T.: Ultrasonic Degradation of *Schizophyllum Commune* Polysaccharide in Dilute Aqueous Solution (Note), 873
Yang, C.-P.
—; Wu, W.-L.: Syntheses and Properties of Urethane Prepolymers and Their Corresponding Crosslinked Films, 2509
Yang, W. L.
—; Hsu, C. C.: Polymerization of Butadiene with $Co(acac)_3$–$(i\text{-}Bu)_3Al$–H_2O Catalyst, 145
Yang, W.-H. M. See Napp, S. J., 2793
Yasuda, H. K. See Osterholm, J.-E., 1265
Yates, W. R. See Stransky, P. D., 2593
Yavorsky, J. A. See Spencer, H. G., 2937
Yavrouian, A. See Gupta, A., 1011, 2131
Yeh, K.-N. See Hsieh, Y.-L., 1389
Yilmazer, U.
—; Farris, R. J.: Mechanical Behavior and Dilatation of Particulate-Filled Thermosets in the Rubbery State, 3369
—; Farris, R. J.: Physical Aging in Particulate-Filled Composites with an Amorphous Glassy Matrix, 3269
Yokouchi, M.
—; Seto, S.; Kobayashi, Y.: Comparison of Polystyrene, Poly(styrene/Acrylonitrile), High-Impact Polystyrene, and Poly(acrylonitrile/Butadiene/Styrene) with Respect to Tensile and Impact Properties, 2209
Yonetake, K.
—; Masuko, T.; Shimanuki, T.; Karasawa, M.: Equilibrium Disperse-Dye Sorption by Isotactic Polypropylene Films of Varied Thermal Histories, 3049
Yoshida, F. See Uragami, T., 1361, 1613
Yoshikawa, S. See Mima, S., 1909
Yoshikuni, M. See Kojima, K., 87
Yoshimura, Y.
Reaction of 3-Methyl Phenol with Methyl α-Eleostearate, 3859
Reaction of 3-Methyl Phenol with Tung Oil, 1147
Younan, M. Y. A. See Aboul-Gheit, A. K., 3349
—; El-Rifai, M. A.; Mohsen, R.; El-Hennawi, I. M.: Effect of Stabilizer Type on the Mechanical Properties of Rigid Poly(vinyl Chloride). I, 3247
Young, A. L. See Shultz, A. R., 1677, 1685

Zachariades, A. E.
—; Logan, J. A.: Melt Flow Crystallization of Ultrahigh Molecular Weight Polyethylene under Curvilinear Flow Conditions, 1837
Zakaria, M. B. See Huglin, M. B., 2451
Zakrzewski, S. See Zurek, W., 1277
Zavarin, E. See Nguyen, T., 647
Zeronian, S. H. See Sanders, E. M., 2465
Zhiquan, S.
—; Xiangyu, S.; Shuxiu, X.; Jipo, Y.; Xianglan, K.: Coordination Copolymerization of Butadiene and Isoprene with Rare Earth Chloride–Alcohol–Aluminum Trialkyl Catalytic Systems, 1585
Zhorin, V. A.
—; Beshenko, S. I.; Berlin, Yu. A.; Enikolopian, N. S.: Effect of High Pressure on Some Electrophysical Properties of Polymers: Polyconjugated Systems Doped by Iodine, 2467
Zhou, H. See Cholli, A., 3497
Zia, Y. See Hourston, D. J., 2139, 3745, 3759
Zieminski, K. F.
—; Peppas, N. A.: Diluent Diffusion in Polymer–Diluent Systems Near T_g: Migration of Phthalic Esters from PVC to Water, 1751
Zurek, W.
—; Zakrzewski, S.: A New Method of Determining the Optical Properties of Cotton Fibers Using Polarizing Interference Microscopy, 1277

Subject Index to Volume 28

Notes and Errata are indicated by the letters N and E, respectively, following the page number.

Abrasion, blade, of natural rubber, antioxidant effects during, 709
—, razor-blade, 943
—, rubber, 943
ABS, tensile and impact properties of, 2209
Acetalized polyvinyl alcohol, as negative EB resists, 2433(N)
Acetone oxime, complex of diphenylmethane 4,4′-diisocyanate with, as crosslinking agent, 3497
Acid distribution, in carboxylated vinyl-acrylic latexes, 1667
Acid number plasticizer, effect of, on PVC properties, 1551
Acid resistance of aldehyde finishes on cotton, 3875(N)
Acrylamide, grafting of, onto nylon 6, photoinduced, 2217
—, grafting of, onto nylon 6 fibers, 2125(N)
—, grafting of, onto silk fibers, Mn(III)-initiated, 1311
—, *N*-hydroxyethyl-, membranes from copolymers of, 109
—, *N*-methylol, fibers grafted with, thermal stability of, 3123
—, polymerization of, using the hydrogen peroxide–hydroxylamine couple, 633
Acrylate, alkyl, hydrophobic, hydrogel prepared from copolymer containing, 2451(N)
Acrylated epoxy coatings, 97
Acrylate monomers, grafting of, onto PVA, photoinduced, 3081
Acrylic acid, fibers grafted with, thermal stability of, 3123
—, preirradiation grafting of, 1465
Acrylic copolymers, hydroxy-functional, crosslinking of alkylated melamines with, 253
Acrylic latexes, titration analysis of, 1667
Acrylic latex films, water absorption in, 1421
Acrylonitrile, copolymerization of styrene, thermocatalytic and radiolytic, 3695
—, fibers grafted with, thermal stability of, 3123
—, grafting of, onto PE, electron beam irradiation-induced, 1879
—, NO_2-initiated polymerization of, 2005
—, photopolymerization of, 2425
Acryloylsarcosine methyl ester, grafting of, onto PE or PP, 3137
Addition polyimides, 191
Adherence of elastomers, influence of stiffness of testing machines on, 2647
Adhesion, effect of, on viscoelastic properties of fiber-reinforced rubber composites, 3485
—, interfacial, effect of, on tensile behavior of PS–glass-bead composites, 3809
—, tire cord, TEM study of, 3723
Adhesion of block coplymers to glass, 1429
Adhesives, nitrile–epoxy, aging and performance of, 283
—, structural film, aging and performance of, 283
Adiabatic reactor, for acrylamide polymerization, 633
Adsorption, of cationic silane coupling agents, on mica, 1235
—, of enzymes, on immobilizing fibrous supports, 1447
Adsorption of dyes in chitin, 1767
Aggarwala and Saibel theory, 1931
Aging, effect of, on radiation-induced crystallinity in linear PE, 861
—, heat, of phenolics, accelerated, 2593
—, of HIPS, 391
—, and performance, of structural film adhesives, 283
—, physical, in particulate-filled composites with an amorphous glassy matrix, 3269
Aldehyde finishes, on cotton, acid resistance of, 3875(N)
Aldehydes, crosslinking of cellulose by, 3875(N)
Alkyl aluminum containing catalyst, butadiene polymerization initiated by, 145
Alkyl vinyl ketone monomer, conformation and IR spectroscopy of, 3093
N-Allylaniline, polyaniline coatings of, 1125
Allyl resins, functionalized, photosensitivity of, 11
Aluminum, alkyl-, containing catalyst, butadiene polymerization initiated by, 145
Aluminum hydroxide, effect of, on dielectric properties of epoxy resin, 3075
Aluminum trialkyl–rare earth chloride-containing systems, as coordination polymerization catalysts, 1585
Amine-crosslinked epoxy resins, photooxidation of, 2677
Amine-cured epoxy, effect of cure extent on properties of, 2831
Amine-cured epoxy resin, study of curing of, 2567
4-Aminobenzophenone, decrystallization and swelling of cotton fibers in, 1503
Aminocaproic acid, effect of, on hydrolytic polymerization of ϵ-caprolactam, 1625
(3-Aminophenyl)methyl phosphine oxide, phosphorus-containing polyimides based on, 2805
Ammonium polyphosphate, intumescent flame retardant for polyacrylonitrile containing, 1743
Amon and Denson transport models for wiped film reactors, 1063
Amphilic polymer with azobenzene moiety, photoresponsive adsorbent containing, 1321
Anhydrides, divalent metal salts of, crosslinking of poly(ethylene glycol)s with, 3793
Anodic synthesis, of sulfur-bridged polyaniline coatings onto Fe sheets, 1125
Antimony trioxide, polymer burning characteristics of systems containing, 1389
Antioxidant effects, during blade abrasion, of natural rubber, 709
Antioxidants for PE, triazine thiols as, 691
—, reactive, for rubbers, based on tetrazoles, 3671
Antipyrens, efficiency of, 3019
Aromatic polyamide-hydrazides, 2729
Arylene sulfone ether polyimides, properties of, 2069
Asphalts as inhibitors of radical polymerization, 1001
ATR–FTIR, characterization of polyacrylamide-poly(ether urethane) IPNs by, 2151
Ault and Mellichamp transport models for wiped film reactors, 1063
Azobenzene moiety, amphilic polymer with, photoresponsive adsorbent containing, 1321

Bacteria, polycaprolactone degradation effected by, 335
Batch kinetic data, continuous polymerization parameters from, 3593(N)

Benzenesulfonate esters of hydroxyphenylbenzotriazole UV absorbers, 1159
o-Benzenesulfonyl phenol derivatives, synthesis of by photo-Fries rearrangements, 1159
Benzophenone, 4-amino-, decrystallization and swelling of cotton fibers in, 1503
Benzophenone tetracarboxylic acid dianhydride, phosphorus-containing polyimides based on, 2805
3,3′4,4′-Benzophenone tetracarboxylic acid dianhydrides, polyimide films prepared from, 2393
Benzylamine, decrystallization and swelling of cotton fibers in, 1503
Bierbaum scratch hardness, of poly(bisphenol-A-carbonate)/UV stabilizer blends, 1685
Binding of simple ions, by nylon 6 or wool, 2813
Biodegradable plastics, graft copolymers of polysaccharides and styrene as, 2455(N)
Biological properties, of Sn-modified cellulosic material, 1919
Birefringence, anomalous, of spun PET filaments, 3619
—, of cotton fibers, 1277
—, creep, in cellulose derivatives, 1539(N)
—, effect of intermolecular interactions on, 1335
—, orientation of PS measured by, 1439
—, in UHMW PE, 1837
Birefringence of injection-molded glassy polymers during relaxation and recovery, 2033
Birefringences in large, quenched samples of PS, 1931
Bis(*m*-aminophenyl)methylphosphine oxide, crosslinked polyimides prepared in presence of, 191
3,3-Bis(aminophenyl)phthalide, crosslinked polyimides prepared in presence of, 191
Bisepoxides, divalent metal salts of, crosslinking of poly(ethylene glycol)s with, 3793
2,2-Bis(4-hydroxy-3-methylphenyl)propane, diglycidyl ether, 501, 513, 519
2,2-Bis(4-hydroxy-3-nitrophenyl)propane, diglycidyl ether, 501, 513, 519
9,9-Bis(4-hydroxyphenyl)fluorene, diglycidyl ether of, 1077
4,4′(Bismaleimido)diphenyl ether, polyimides prepared by crosslinking, 191
Bisphenol A, diglycidyl ether of, cyclomatrix systems prepared from, 921
—, diglycidyl ether of, epoxy resin based on, 2831
—, diglycidyl ether of, FTIR study of degradation interaction of, 1077
—, diglycidyl ether of, photooxidation of amine-cured epoxies based on, 2599
Bisphenol A–phosgene, simultaneous reaction–precipitation polymerization of, 587
Bisphenol A polycarbonate, trifunctionally branched, multimethod procedure for characterization of, 3105
Blade abrasion device, 709
Blends, ionomer–nylon, WAXS studies of, 2247
Block copolymers, adhesion of, to glass, 1429
Blood, human, effect of, on dynamic mechanical properties of elastomers, 1871
Boron-based curing agents, identification of, in cured epoxy systems by computer-assisted IR spectroscopy, 1957
Boron trifluoride, and complexes, hybrid copolymerization of alkyl vinyl ethers and glycidyl ethers initiated by, 3651
Boron trifluoride complex, as curing agents in cured epoxy systems, identification of, 1957
Boroxines, as curing agents in cured epoxy systems, identification of, 1957
Boundary interphase in particulate composites, interrelation between moisture absorption, mechanical behavior, and extent of, 3145
Branching, in HDPE, 3453
—, long chain, influence of, on extrudate swell of low-density polyethylenes, 2389
—, long-chain, of LDPE, effect of, tubular blown film extrusion, 3399
Branching in polyethylenes, determination of total short-chain, by computerized data processing of infrared spectra, 3707
Bromostyrene, grafting of, onto polyester fabric, radiation-induced, 2411
Brüel–Kjaer damping modulus apparatus, 2187
(i-Bu)$_3$Al–Co(acac)$_3$–H$_2$O, butadiene polymerization initiated by, 145
Bubble tensiometer, 407
Burning behavior, of polymer, evaluation of, 1389
Butadiene, coordination copolymerization with isoprene, 1585
—, emulsion polymerization of, micellar equilibria in, 901
—, polymerization of, 145
t-Butylhydroperoxide, decomposition of, effect of additives on, 691

$CaCO_3$, effect of, on chemorheology of thermosetting resins, 3185
$CaCO_3$-filled polyethylenes, tensile properties of, 2701
Calcium carbonate, surface-coated, rheological properties of suspensions of, 1481
Calendering of compressible fluids, analysis of, 2119
Capacative coupling, glow discharge polymerization of tetramethylsilane by, 3629
ϵ-Caprolactam, hydrolytic polymerization of, effect of aminocaproic acid on, 1625
—, hydrolytic polymerization of, simulation of, 2527
Carbohydrates, effect of, on polymerization of spent sulfite liquor, 1969
Carbon black, grafting of β-propiolactone on, 2381
—, reinforcing, effect of, on EPDM rubber, 3333
Carbon-black-filled natural rubber, abrasion of, mechanisms for, 943
Carbon tetrabromide, telomerization of, 1105
Carborane-substituted polyphosphazenes, synthesis and thermal stability of, 2659
Carboxylated vinyl-acrylic latexes, acid distribution in, 1667
Carboxyl-containing polymers, grafting of, onto polyester/cotton blend fabrics, 1179
2-(4-Carboxyphenyl)-1,3-dioxoisoindoline-5-carboxylic acid, diacid chloride of polyamideimides from, 225
Carboxy-terminated polybutadiene, curing reactions in, 595
Cationic initiation, of copolymerization, hybrid, of alkyl vinyl ethers and glycidyl ethers, 3651
Cationic silane coupling agent, interaction of, with mica, 1235
Ce-144, leaching of, from PMMA, 1779
Ce(IV)-ion-initiated grafting, of methyl methacrylate, onto gelatin, 2715
Cell adhesion chromatography, adsorbent for, 1321
Cellulose, crosslinking of, by aldehydes, 3875(N)
—, grafting of monomers onto, 1371
—, grafting of styrene onto, persulfate-initiated, 2455(N)
—, reaction with oxidants, DSC studies of, 647
Cellulose acetate films, isothermal transient current studies in, 2483
Cellulose acetate membranes, reverse osmosis in, 3715
Cellulose acetate reverse osmosis membranes based on, 3063
Cellulose derivatives, degradation of, by trifluoroacetic acid, 1527
—, rheological studies of, 1527
Cellulose fiber, cotton, mechanochemical process in, 1
Cellulose fibers, networks of, impregnation of, 1599
Cellulose pulp, grafting of methyl acrylate onto, 3003(N)
Cellulose surfaces, immobilization of microbial cells on, radiation-induced, 3849
Cellulosic chars, structure and formation of, 3513
Ce(VI)–sucrose redox system, grafting of methyl methacrylate onto silk fiber initiated by, 1811(N)

Chain entanglement, 1561
Chain transfer constants, 1105
Charge transfer complex, of pyridine–Br_2, grafting of methyl methacrylate onto nylon 6 photoinitiated by, 3665
Chars, cellulosic, structure and formation of, 3513
—, from lignin, structure and formation of, 3513
—, from wood, structure and formation of, 3513
Chemical structure, relationship with electron sensitivity, 2433(N)
Chemorheology of thermosetting resins, 3155, 3185, 3207
Chitin, adsorption of dyestuffs in, 1767
Chitosan, deacetylated, properties of, 1909
Chitosan membranes, permeabilities of, 1361
—, transport of halogen ions through, 1361
2-Chloroethyl methacrylate, grafting of, onto phosphate-modified $CaCO_3$, 3549
4-Chlorophenyldiazonium tetrafluoborate as cationic photoinitiator, 3651
Chromatography, column, photoresponsive polymer adsorbent for, 1321
—, extraction of emulsifiers from acrylic latex films studied by, 1421
—, pyrolysis, 1585
Cinnamoylated allyl resins, photosensitivity of, 11
Cinnamoyl chloride, reaction of poly(methyl vinyl ketone) with, 1255
Circulatory assist devices, 1871
Citric acid, as nucleating agent, in foam extrusion characteristics of, 2983
Claisen rearrangement in TMB-cured diglycidyl ether of bisphenol A, 1077
Clay, effect of, on chemorheology of thermosetting resins, 3185
—, effect of, on properties of natural rubber, 659
Cloud point titration, determination of molecular weights by, of POE, 2445(N)
^{13}C-NMR analysis, 241
^{13}C-NMR studies, 961, 1263(E), 2499
$Co(acac)_3$–(i-Bu)$_3$Al–H_2O, butadiene polymerization initiated by, 145
Coating performance, on wood surfaces, effect of grafted UV stabilizers on, 2093
Cohesive energy densities of unsaturated polyester resins, determination of, from swelling measurements, 2847
Coir fibers, moisture sorption in, 625
Collagen, grafting of MMA onto, 87
Combustibility study of the gaseous pyrolysates produced from some high-performance fabrics, 3681
Combustion, of polymeric materials, influence of the oxidizing temperature on, 461
Compatibility, of poly(2,6-dimethyl-1,4-phenylene oxide)/poly(fluorostyrene-co-chlorostyrene) blends, 1379
Compatibility of low-density polyethylene–poly(ϵ-caprolactone) blends, 2541
Compatibilization of high-density polyethylene–poly(ethylene terephthalate) blends, 2947
Composite polymer emulsion film with temperature-sensitive properties, 383
Composite reverse osmosis membranes, from ionically crosslinked PAA, 3063
Composites, epoxy resin containing, 3029
—, fiber-reinforced interphase in, 3641
—, of glass cloth and polyimides, 191
—, jute fiber containing, 3029
—, natural rubber, fiber-reinforced, viscoelastic properties of, 3485
—, nylon 6, effects of coupling agents on properties of, 3387
—, particulate, boundary interphase in, effect of moisture absorption in, 3145
—, polyester containing, 3029
Compressible fluids, calendering of, 2119
Compressive strength, of acrylonitrile–styrene copolymers, 3695
—, of PMMA, 1779
Computer, for vibrating reed mechanical spectrometer, 1545(N)
Computerized data processing, of IR spectra, 3707
Condensation polymerization, viscometric method for monitoring, 2729
Condensation polymers, crystallinity of, 437(L)
Conductance, 1331
Conductivity, electrical, of membranes, 1465
—, electrical, of metal containing polyimide films, 2393
—, electrical, thermal stability of iodine-doped polyacetylene studied by, 1265
—, of epoxy resins containing water, 2363
—, of polyconjugated polymers, 2467
Conductometric titration, aqueous, study of carboxylated vinyl-acrylic latexes using, 1667
Conformation, and IR spectroscopy of alkyl vinyl ketone monomer, 3093
Conformations of degraded PVC, 33
Contact angle, liquid, orientation of PS measured by, 1439
Continuous polymerization parameters from batch kinetic data, 3593(N)
Controlled release of tri-n-butyltin fluoride from polymeric molluscicides and mosquito larvicides, 2823
Coordination copolymerization of butadiene and isoprene, 1585
Copoly(carbonate–phosphonate)s, preparation and properties of, 2439(N)
Copolyesters, structure–property relationship in, 2291
Copolymer composition, influence of, on non-Fickian water transport through glassy copolymers, 1299
Copolymerization, coordination, rate constants for, 1585
—, hybrid, of alkyl vinyl ethers and glycidyl ethers, 3651
Copolymerization with methacrylonitrile, effect of, on the dielectric relaxation of polyacrylonitrile, 1167
Copolymers, glassy, water transport through, 1299
—, of styrene and β-pinene, 1701
Cotton, aldehyde finishes on, acid resistance of, 3875(N)
—, cellulose derived from, Sn-modified, biological and thermal properties of, 1919
—, cyanoethylated, thermal effects on, 311
Cotton fiber reinforcement, modification of polyurethanes by addition of, 1033
Cotton fibers, decrystallization and swelling of, 1503
—, optical properties of, 1277
—, swelling of, in aqueous ethylenediamine solutions, 2235
Cottons, chemically modified, thermal effects on, 311
Couchman–Karasz treatment, for the composition dependence of T_g, 23
Couchman relation for T_g of styrene/α-methylstyrene copolymers, 1677
Couette flow, ultrastrength PE fibers prepared by, 57, 77
Coulombic study, of polyimides, 267
Coupling agents, effects of, on the rheological behavior and physical/mechanical properties of filled nylon 6, 3387
Coupling of polystyrene to a silane-treated mica, 3565
Crazing, of PS–glass-bead composites, 3809
Creep birefringence, in cellulose derivatives under, 1539(N)
—, in cellulose nitrate and cellulose acetate, 1539(N)
Creep measurements, of aged HIPS, 391
Creep rupture, Zhurkov kinetic concept of, 2623
Cresol–novolak resin, configuration of, 1263(E)
Critical micelle concentration, effect of pH on, 1331
Crosslink density, radical decay rates in epoxy resin, as function of, 3301(N)
—, study of carboxy-terminated PB curing by, 595
Crosslinking agent for aliphatic polyester–urethane block copolymers, solid-state ^{13}C NMR studies of a potential, 3497

Crosslinking kinetics, and network formation, in organic coatings containing hexamethoxymethylmelamine, 253
Crosslinking of poly(ethylene glycol) with divalent metal salts of mono(hydroxyethyl) phthalate, anhydride, and bisepoxide, 3793
Cross polarization, ^{13}C-NMR/MAS studies, 3513
Crystallinity, of cellulose, effect of mechanical treatments on, 1
—, of condensation polymers, effect of, on platelet adhesion, 437(L)
—, in PE, influence of magnetic fields on, 3603(N)
—, in poly(ethylene glycol)s, effect of divalent metal salt crosslinking on, 3793
—, volume, DSC curve specificity in poly(caprolactam) fibers studied using, 1025
—, of zone-annealed isotactic PP fibers, 179
Crystallinity of pure and nucleated PET, 2177
Crystallization, in deacetylated chitosan, 1909
—, melt flow, of UHMW PE, under curvilinear flow conditions, 1837
—, stress-induced, ultrastrength PE fibers prepared by, 57, 77
Crystal orientation, of ultrahigh-molecular-weight PE, 1207
Crystals, polymer, longitudinal growth in, 57, 77
Cs-137, leaching of, from PMMA, 1779
Cu^{2+} distribution, in cation exchange membranes, ESR study of, 1093
Cu(II), complexing of, by poly(amido–amine) resins, 3361
Cure behavior of thermosets, modeling of, 2567
Cure of tetraglycidyl diaminodiphenyl methane with diaminodiphenyl sulfone, mechanism of, 1011, 2131(E)
Curing kinetics, of polyester resin unsaturated, 3155
—, of unsaturated polyesters with styrene, 485
Curing reactions in elastomers, 595
Curvilinear flow conditions, melt flow crystallization of UHMW PE under, 1837
Cushioning properties of plastic foams, 135
Cyanoethylated cotton, behavior of, towards thermal treatment, 311
Cyanoethylation, of cyclomatrix poly(organo phosphazenes), 921
Cyanurates, metal, effect of, on some properties of PVC, 443
Cyclomatrix poly(organo phosphazenes)—synthesis, characterization, and adhesive heat resistance of, 921

Data acquisition system, for a vibrating reed mechanical spectrometer, 1545(N)
—, for evaluation of polymer burning characteristics, 1389
Davies modulus–composition equation, for IPNs, 3745, 3759
Decabromodiphenyl oxide, polymer burning characteristics of systems containing, 1389
Decomposition, thermal, of iodine-doped polyacetylene in vacuum, 1265
Decrystallization, of cotton fibers, 1503
Deformation band studies of axially compressed poly(*p*-phenylene terephthalamide) fiber, 579
Degradation, of epoxy resins, by water clustering, 2881
—, fungal, of polycaprolactones, 327
—, microorganism effected, of polycaprolactones, 335
—, of *cis*-1,4-polyisoprene vulcanizates, isothermal, 3467
—, of Sn-modified cellulosic material, 1919
—, thermal, of poly(ethylene terephthalate), kinetic analysis of thermogravimetric data, 2887
—, ultrasonic, of *Schizophyllum Commune* polysaccharide, 873(N)
Dehydrochlorinated poly(vinyl chloride), grafting of, styrene onto, 1245
Dehydrochlorinated poly(vinyl chloride)-*g*-polystyrene, 1283
Dehydrochlorinated poly(vinyl chloride-*g*-styrene), 1245
Dehydrochlorination, in γ-irradiated PVC–stabilizer mixtures, 519
Density, of amine-cured epoxy resin, effect of cure extent on, 2831
—, in emulsion polymerization, on-line measurement of, 407
—, study of microstructure of injection-molded parts using, 1787
—, study of processing of dry-blended PVC powder particles using, 1847
Density measurements, crystallinity of PET studied using, 2177
—, study of particulate-filled composites with glassy polymers using, 3269
Deposition, electrophoretic, of polymers, 267
Deuterated styrene oligomers, field desorption mass spectrometry study of, 2303
Dextrin, hydrolysis of, in reversed micelle in benzene, 3309(N)
Diallyl aromatic, dicarboxylates telomerization of, 1105
Diallyl compounds, polymerization of, 1105
Diallyl phthalate, telomerization of, 1105
Diallyl terephthalate, telomerization of, 1105
Diamines, aromatic, cyclomatrix systems prepared from, 921
—, interfacial polymerization of diisocyanates with, 1457
Diaminodiphenyl ether, crosslinked polyimides prepared in presence of, 191
Diaminodiphenylmethane, photooxidation of amine-cured epoxies based on, 2599
Diaminodiphenyl sulfone, cure of tetraglycidyl diaminodiphenyl methane with, 1011
—, epoxy resin based on, 2831
4,4′-Diaminodiphenylsulfone, epoxy resin based on, 3301(N)
—, high-performance epoxy resins based on, 2227
Diamiondiphenyl sulfone, cure of tetraglycidyldiaminodiphenyl methane, 2131(E)
Diaphragm cell, 1613
—, using chitosan membrane, 1361
3,5-Di-*t*-butyl-4-hydroxybenzaldehyde, reactive antioxidant for rubber based on, 3671
Dibutyltindilaurate, catalysis of polyurethane crosslinking using, 3559
Dichlorodifluoromethane, as blowing agent, 2961, 2983
Dichlorotetrafluoroethane, as blowing agent, 2961
Dichroic reflectance, IR, 1439
Dielectric capacitance studies, 485
Dielectric constant, of polyconjugated polymers, 2467
Dielectric constants, at microwave frequencies, of H_2O–paper mixtures, 969
Dielectric loss behavior, of crosslinked polyethylene, and analog materials, 1137
Dielectric properties, of epoxy resin, effect of filler on, 3075
—, of polyamideimides, 225
Dielectric relaxation, in homo- and copolymers, 1167
—, of PAN, effect of heat treatment on, 2745
Dielectric studies, of water in, epoxy resins, 2363
Die swell, of PE melts, influence of magnetic fields on, 3603(N)
Differential gel permeation chromatography, for quality control, 559
Differential refractometry method, application of, to polyolefins, 3873(N)
Diffusion, of dyes in adsorptive dyeing, 3817
—, of propane, in blends of polystyrene and poly(vinyl methyl ether), 2937
—, of SO_2, in epoxy resin, 201
—, time-lag, numerical solution for, 3589(N)
Diffusion coefficient, of water–methanol mixture, 1949
Diffusion measurements, in a θ solvent, molecular weight determinations from, 2325
Diffusion processes, intraparticle, for adsorption of dyestuffs in chitin, 1767

Diffusivity, of organic vapors, through FEP Teflon, 209
Diglycidyl ether, aliphatic, epoxy resin from, SO_2 sorption in, 201
—, of bisphenol A, epoxy resin based on, 2831
—, of bisphenol A, photooxidation of amine-cured epoxies based on, 2599
Diglycidyl ethers, stabilization of γ-irradiated PVC by, 501, 513, 519
Di(3-hydroxybutyl)-2,2′-azobisisobutyrate, hydroxyl-terminated PB from, 3559
Di(4-hydroxybutyl)-2,2′-azobisisobutyrate, hydroxyl-terminated PB from, 3559
2,6-Dihydroxynaphthalene, thermotropic liquid crystalline polyesters based on, processing of, 1805
Diisocyanates, interfacial polymerization of diamines with, 1457
Dilatational–mechanical effects, in particulate-filled amorphous thermosets, 3369
Dilatometry studies, 3269
Diluent diffusion, in polymer–diluent systems near T_g, 1751
Dimer diamines, impact-resistant poly(amide–ether)s based on, 2473
Dimethylaminoethyl methacrylate, grafting of, onto phosphate-modified $CaCO_3$, 3549
Dimethyl isophthalate/DMT fraction, oligoester alcohols from recrystallization of, 2491
Dimethyl terephthalate, waste materials from production of, 431(N)
Dimethyl terephthalate distillation residues, oligoester alcohols based on, 2491
Diols, aliphatic, effects of low molecular weight, on polyurethane elastomers prepared from hydroxy-terminated polybutadienes, 3559
Diphenylmethane 4,4′-diisocyanate, complex with acetone oxime, as crosslinking agent, 3497
Discharge polymerization, glow, of tetramethylsilane, 3629
Disk cavities injection molding of, analysis of packing stage in, 2999(N)
Dithio carbamates, effect of, on *t*-butylhydroperoxide decomposition, 691
Diundecyl phthalate, effect of, on radiation-induced crosslinking of PVC, 3527
—, radiation-curable coating based on, 2553
DMT/dimethyl isophthalate fraction, oligoester alcohols from recrystallization of, 2491
Dohrmann Envirotech polymer permeation analyzer, 1535(N)
Donnan equilibrium theory, applied to sorption of simple ions by nylon 6, 2813
Dry blending, effects of, on morphology of PVC powder particles, 1847
DSC, study of T_g in PS and styrene/DVB networks by, 23
—, study of poly(bisphenol-A-carbonate)-UV stabilizer blend glass transition by, 1685
DSC curve specificity of poly(caprolactam) fibers, 1025
DSC studies, 123, 219, 485, 605, 647, 961, 1011, 1033, 1347, 1379, 1879, 2069, 2541, 3105, 3155, 3185, 3207, 3269, 3321
DSC study of the polyurethane formation from poly(ethylene adipate) and toluene diisocyanate, 2281
DTA studies, 1779, 2411, 3019
DTG studies, 3019
Dupre, on adhesion, 2647
Durable press fabrics, soil release from cotton-containing, 1179
DVB/styrene networks, T_g of, effect of diluents on, 23
DVB–styrene resins, macroporous, anion exchange resins prepared from, 3701
Dyeability, of nylon-6-*g*-polyacrylamide, 2217
Dye absorption, 1331
Dyes, adsorption of, in chitin, 1767
—, diffusion of, 3817
Dye sorption by isotactic polypropylene films of varied thermal histories, 3049
Dynamic mechanical analysis, of high-performance epoxy resins, 2227
—, of IPNs, 3745, 3759
—, of polymers in the liquid state, 2105
Dynamic mechanical and vibration damping properties of polyurethane compositions, 2187
Dynamic mechanical properties, of elastomers for use in circulatory assist devices, 1871
Dynamic mechanical properties and morphology of styrene–divinylbenzene copolymer/PVC systems, 2867
Dynamic mechanical properties of photopolymerizable poly(vinyl alcohol)–acrylate monomer blends, 3081
Dynamic mechanical spectra, of cured resins, 1729
Dynamic mechanical spectrometry, study of amine curing of epoxy resin using, 2567
Dynamic mechanical study, of compatibility of LDPE–poly(ε-caprolactone) blends, 2541
Dynamic rigidity, of starch–water–sucrose pastes, 1829
Dynamic thermogravimetry, copolyesters studied by, 2291
Dynamic viscosity, of starch–water–sucrose pastes, 1829

Elastomers, abrasion of, mechanisms for, 943
—, adherence of, influence of testing machine stiffness on, 2647
—, effect of blood on dynamic mechanical properties of, 1871
—, polyester–polyurethane, equilibrium concentrations in, 3779
—, polyurethane, relationship between efficiency of antipyrens and thermal properties of, 3019
Electron beam crosslinking, of high-density polyethylene, 2903
Electron beam irradiation induced grafting of acrylonitrile to polyethylene powder, 1879
Electron beam resists, electron sensitivity of, 699
—, negative, acetalized PVA as, 2433(N)
Electron diffraction, study of poly(*p*-phenylene terephthalamide) fibers by, 579
Electron microscopy, extraction of emulsifiers from acrylic latex films studied by, 1421
—, of IPNs, 3745, 3759
—, study of poly(*p*-phenylene terephthalamide) fibers by, 579
—, study of styrene–DVB copolymer/PVC system using, 2867
Electron microscopy study of $CaCO_3$-filled polyethylenes using, 2701
Electron paramagnetic resonance, 1001
Electron sensitivity, of EB resists, 699
—, of polyamides, 699
—, relationship with chemical structure, 2433(N)
Electrophilic substitution of polystyrene with aromatic anhydrides, 2463(L)
Electrophoretic deposition, of polymers, 267
Electrophysical properties of polymers, 2467
Elongation, of rubber phase, in high-impact PS, 1409
Elongation at rupture, 1599
Emulsifiers, extraction of, from acrylic latex films, 1421
Emulsion copolymerization, kinetics of, 2767
Emulsion polymerization, density and surface tension in, on-line measurement of, 407
—, of vinyl acetate, initiated by H_2O_2–tartaric acid system, 3041
Emulsion polymerization reactors, batch, micellar equilibria in, 901
Emulsions, polymer, determination of residual monomer in, 3585(N)
Engineering polymers, exposed to hot water, microcavity formation in, 2925
Entanglement, of unknotted chains, 1561
Entropy transition rate, in poly(caprolactam) fibers, 1025
Enzymatic activity, of immobilized *Mortierella vinacea* cells by, 295

Enzyme activity, of microbial cells immobilized on cellulose surfaces, 3849
Enzymes, immobilization of, 1447
EPDM, sulfonated, plasticization of, by zinc stearate, 1717
—, sulfonated, viscoelastic properties of, 1717
EPDM rubber, effect of reinforcing carbon black on, 3333
—, sulfonated, time-dependent characteristics of, 3321
—, vulcanization of, with sulfur, 3333
Epichlorohydrin vulcanizates, stabilization of, by triazine thiols, 691
Epoxy compounds, stabilization of γ-irradiated PVC by, 501, 513, 519
Epoxy–nitrile systems, aging and performance of, 283
Epoxy polymers, T_g predictions in, 823
2,3-Epoxypropyl methacrylate, grafting of, onto phosphate-modified $CaCO_3$, 3549
Epoxy resin, dielectric properties of, effect of filler on, 3075
—, sorption of SO_2 in, transient, 201
Epoxy resins, amine crosslinked, photooxidation of, 2599, 2677
—, amine-cured, effect of cure extent on properties of, 2831
—, cured in the presence of BF_3 catalyst, high-performance, 2227
—, degradation of, 1077
—, degradation of, by water clustering, 2881
—, dielectric studies of water in, 2363
—, interaction studies of, 1077
—, jute fiber composites with, 3029
—, radical decay rates in, 3301(N)
—, study of the curing of by amines, 2567
Epoxy systems, cured, boron-based curing agents in, identification of, 1957
EPR, abrasion of, mechanisms for, 943
Errata, 1263, 1549, 2131, 2465, 3877
ESR studies, 1011, 1093, 1879
—, of mechanochemically processed cellulose fiber, 1
Esterification, 3779
Ethylene–propylene copolymer, oscillating flow in, 2777
Ethylene–propylene elastomer, use of, in compatibilization of PET–HDPE blends, 2947
Ethylene–styrene diblock copolymers, 961
Ethylene terephthalate–hexamethylene terephthalate copolymers, 2291
Exothermic reactions, sequential, leading to flexible polyurethane foams, 2053
Extractive distillation, and GC, determination of residual monomer in polymer emulsions using, 3585(N)
Extrudate swell, of LDPE, effect of long chain branching on, 2389
Extrusion of bleached wood pulp grafted with methyl acrylate, 3003(N)
Eyring theory, 3827

Fabrics, flame retardant, pyrolysates from, combustibility study of, 3681
—, high-performance, pyrolysates from, combustibility study of, 3681
Falling ball test, impact failure, of reinforced foams, determined by, 1517
Faraday's laws of electrolysis, in electrophoretic deposition of polymers, 267
Fatigue damage in rubber-toughened poly(methyl methacrylate), 2689
Fatigue measurements, of aged HIPS, 391
Fe, effect of, on H_2O_2–hydroxylamine-induced polymerization, 633
Fe(II)–H_2O_2 system, initiation of grafting by, 303
Fiberglass-reinforced polyester foams, tensile properties of, 1517
Fiber-reinforced composites, interphase in, 3641
Fiber-reinforced rubber composites, viscoelastic properties of, 3485
Fiber reinforcement, modification of polyurethanes by addition of, 1033
Fibers, tubular, mechanics of, 3573
Fibrous structures, introduction of polymers into, by solution impregnation, 1599
Fibrous support, for immobilization, of enzymes, 1447
Fickian diffusion, of SO_2, in epoxy resin, 201
Field desorption mass spectra, of normal and deuterated styrene oligomers, 2303
Field desorption mass spectrometry, of styrene oligomers, 2303
Filaments spun from poly(ethylene terephthalate) chips containing PET–dust, 3619
Filler, effect of, on the dielectric properties of epoxy resin, 3075
Fillers, particle size of, effect of, on entanglement, 1561
Film, gas permeation through, analysis of, 3589(N)
Film clarity, 1379
Films, cellulose acetate, isothermal transient current studies in, 2483
Fire retardant, 123
Flame resistance, 1119
Flame retardance, in polyester fabric radiolytically grafted with bromostyrene, 2411
Flame retardant fabrics, pyrolysates from, combustability study of, 3681
Flame retardants, for polyacrylonitrile, 1743
—, polymer burning characteristics of systems containing, 1389
Flammability limits, of polymer pyrolysate–air mixtures, 449
Flory–Huggins analysis, of epoxy resin degradation, 2881
Flory–Huggins equation, 725
Flow rate, effect of, on efficiency of GPC, 473
Fluorescence, polarized, study of Young's modulus of PET using, 1195
Fluorescent dyes, in polymers, Stokes shift in, matrix effect on, 1819
Fluorocarbon blowing agent, mixture with molten PE, rheology of, 831
—, mixture with PS, rheology of, 851
—, thermoplastic resin with, foam extrusion characteristics of, 2961, 2983
Fluorosubstituted styrene polymers and copolymers, compatibility of, 219
Foam extrusion characteristics of thermoplastic resin with fluorocarbon blowing agent, 2961, 2983
Foams, plastic, cushioning properties of, 135
Formaldehyde–resorcinol latex adhesives, tire cord bonding using, 3723
Formaldehyde–urea resin, hydrolytic degradation of, 3313
Fox relation for T_g of styrene/α-methylstyrene copolymers, 1677
Fracture mechanics concepts, for adherence of elastomers, 2647
Fracture mode, of EPDM rubber reinforced with carbon black, 3333
Free volume theory, tear strength theory of semicrystalline polymers based on, 3011
Freon 11, compatibility of, with oligoesteralcohols synthesized from, 431(N)
Frequency shift of the C=O band in the infrared spectrum of gamma-irradiated cellulose I and cellulose II, 879(N)
Fructose, use of, in photoinduced grafting of acrylamide, 2125(N)
FTIR, study of polyester fibers-reinforced rubber using, 2633
FTIR–ATR, characterization of polyacrylamide-poly(ether urethane) IPNs by, 2151
FTIR studies, 1011, 1077, 3227, 3513
Fungi, effect of, on Sn-modified cellulosic material, 1919
Fusion profiles, of PVC dispersion resins in plastisols, 807

Gas permeation, through film, analysis of, 3589(N)
Gas phase polymerization of propylene, continuous polymerization parameters for, 3593(N)
GC, and extractive distillation, determination of residual monomer in polymer emulsions using, 3585(N)
GC–MS, study of pyrolysis products from carborane-substituted polyphosphazenes using, 2659
GC studies, 3467
Gelatin, grafting of MMA onto, Ce(IV)-initiated, 2715
Gelation and fusion profiles of PVC dispersion resins in plastisols, 807
Gel content, study of carboxy-terminated PB curing by, 595
Gel fraction experiments, study of amine curing of epoxy resin using, 2567
Gel permeation chromatographic analyses, of resole phenolic resins, 2611
Gel permeation chromatography, the effect of flow rate on efficiency, 473
Generalized exponential distributions, continuum of MWD extended using, 795
Gilbert–Rideal equilibrium theory, applied to sorption of simple ions, by nylon 6, 2813
Glass, adhesion of block copolymers to, 1429
Glass-bead-filled, amorphous, network polyurethanes, stress–strain–dilatational response of, 3369
Glass beads, grafting of photoresponsive polymer on, 1321
Glass-cloth-reinforced polyimide laminates, 191
Glass fiber reinforcement, modification of polyurethanes by addition of, 1033
Glass transition, of amine-cured epoxy resin, effect of cure extent on, 2831
Glass transitions, of poly(bisphenol-A carbonate)/ultraviolet light stabilizer blends by DSC and TOA, 1685
—, of styrene/α-methylstyrene statistical copolymers and of their blends with PPO resin, 1677
Glass transition temperature, 1585
—, diluent diffusion in polymer–diluent systems near, 1751
—, influence of thermal properties on, 23
Glass transition temperature predictions, in epoxy polymers, 823
Glassy polymers, injection-molded, birefringence of, 2033
—, particulate-filled composites with, aging in, 3269
Glow discharge polymerization of tetramethylsilane, surface hardening of polyethylene sheet, 3629
Glueckauf model, for sorption of simple ions by nylon 6, 2813
Glycidyl ethers, hybrid copolymerization of alkyl vinyl ethers with, 3651
Glycidyl methacrylate, grafting of, onto PET fibers, redox-initiated, 303
GPC, deacetylated chitosan molecular weight determined using, 1909
—, differential, for quality control, 559
—, study of mixtures of unsaturated polyester and vinyl ester resins by, 763
—, study of radiation crosslinking of PVC using, 2083
—, study of ultrasonic degradation of polysaccharide, 873(N)
GPC analysis, of polycaprolactones, effected by microorganisms, 335
—, of polycaprolactones, fungal degraded, 327
GPC studies, 961, 1105, 1283, 2499, 3227, 3453, 3467
Graft copolymer latex membranes, PVA–AN–*N*-hydroxyethyl acrylamide, 109
Grafted fibers, thermal stability of, 3123
Grafted UV stabilizers, effect of, on wood surface erosion and clear coating performance, 2093
Grafting, of acrylamide onto nylon 6, photoinduced, 2217
—, of acrylate monomers onto PVA, UV-induced, 3081
—, of acrylonitrile onto PE, electron beam irradiation-induced, 1879
—, of acryloylsarcosine methyl ester onto PE or PP, 3137
—, of bromostyrene, onto polyester fabric, radiation-induced, 2411
—, of *Mortierella vinacea* cells, radiation induced, 295
—, of epoxy–acrylate coatings, onto PVC, 97
—, of glycidyl methacrylate, onto PET fibers using Fe^{+2}–H_2O_2 redox system, 303
—, of methacrylates, 3549
—, of methyl acrylate, onto bleached wood pulp, 3003(N)
—, of methyl methacrylate, onto collagen, initiated by tributylborane, 87
—, of methyl methacrylate, onto nylon 6, photoinitiated, 3665
—, of methyl methacrylate onto nylon 6, 2673(N)
—, of MMA, onto gelatin, Ce(IV)-initiated, 2715
—, of monomers, onto dissolving pulp, 1371
—, onto nylon 6, of methyl methacrylate, photoinitiated, 3665
—, of polyamide, onto macroporous PS resins, 3137
—, of polyester/cotton blend fabrics, with carboxyl-containing polymer, 1179
—, of polyesters, onto carbon black, 2381
—, of styrene, onto dehydrochlorinated PVC, 1283
—, of vinyl monomers, onto silk fibers, 1311
—, of vinyl monomers onto nylon 6, 2673(N)
Grafting of poly(acrylic acid) onto polyethylene filament, 3767
Gravimetric analysis, study of hydrolytic degradation of HCHO–urea resin using, 3313
Growth, longitudinal, of polymer crystals from flowing solutions, 57, 77
Gutta percha, dynamic mechanical analysis of polymers and blends containing, 2105

Halogen ions, transport of, through chitosan membranes, 1361
Hardness, of PMMA, 1779
Hazard ranking method, for polymer ignition, 45
Heat age testing, accelerated, of phenolics, 2593
Heat resistance, adhesive, of cyclomatrix poly(organo phosphazenes), 921
Heat-resistant polymers, processable, 225
Heat treatment, effect of, on the dielectric relaxation of polyacrylonitrile, 2745
Hermans–Stein orientation factors, 2011
Heterogeneities, ionic, in sulfonated polysulfone films, 3235
Heterogeneous polymerization, tubular reactor for, 887
Hexabromocyclododecane, intumescent flame retardant for polyacrylonitrile containing, 1743
Hexachlorocyclotriphosphazene, cyclomatrix systems prepared from, 921
Hexamethoxymethylmelamine, organic coatings containing, 253
High-speed liquid chromatography, 3859
HIPS, aging of, 391
—, tensile and impact, properties of, 2209
HLC studies, 1147
H_2O, in organometallic complex initiation of butadiene polymerization, 145
H_2O_2, reaction with lignocellulose, DSC studies of, 647
H_2O_2–hydroxylamine couple, acrylamide polymerization using, 633
Homolytic scission, in cotton cellulose fiber, 1
Hooke's law–lattice energy treatment, tear strength theory of semicrystalline polymers based on, 3011
H_2O–paper mixtures, microwave dielectric constants for, 969
Hybrid copolymerization of alkyl vinyl ethers with glycidyl ethers, 3651
Hydantoin vinyl ether, copolymers with maleic anhydride, 343
Hydration, of PVA membranes, effect of, 2401

Hydration ability of monomer, influence of, on immobilization of microbial cells by radiation polymerization, 2167
Hydraulic permeability, of water, in poly(vinyl alcohol) membrane, as a function of the degree of hydration, 2401
Hydrogels, preparation of, via γ-irradiation, 2451(N)
Hydrogen peroxide–tartaric acid system, emulsion polymerization of vinyl acetate initiated by, 3041
Hydrolysis, 3779
—, of dextrin in a reversed micelle in benzene, 3309(N)
Hydrolytic degradation of cured urea–formaldehyde resin, 3313
Hydrolytic polymerization, of ε-caprolactam, simulation of, 2527
Hydrolytic polymerization of ε-caprolactam, effect of added aminocaproic acid on, 1625
Hydrolyzed polymethacrylamides, partial, preparation of high-viscosity, 3607
Hydroperoxides, production of in γ-irradiated PVC–stabilizer mixtures, 513
Hydrophilic polymer, plasma-polymerized pyridine as, 1651
Hydrostatic stress, creep birefringence in cellulose derivatives under, 1539(N)
p-Hydroxybenzoic acid, thermotropic liquid crystalline polyesters based on, processing of, 1805
2-Hydroxy-4-dodecyloxybenzophenone, as stabilizer for poly(bisphenol-A-carbonate), 1685
2-Hydroxy-4-(2,3-epoxypropoxy)benzophenone as UV stabilizer effect of grafting of, onto wood surfaces, 2093
Hydroxyethyl cinnamate, photosensitive rubbers prepared from, 543
2-Hydroxyethyl methacrylate, copolymerization of, in cellulose surfaces, 3849
—, grafting of, onto phosphate-modified $CaCO_3$, 3549
Hydroxy-functional acrylic copolymers, crosslinking of alkylated melamines with, 253
Hydroxylamine–H_2O_2 couple, acrylamide polymerization using, 633
Hydroxyl-terminated polybutadienes, 3559
2-Hydroxy-4-methoxybenzophenone, as stabilizer for poly(bisphenol-A-carbonate), 1685
2-Hydroxy-4-*n*-octooxybenzophenone, as stabilizer for poly(bisphenol-A-carbonate), 1685
Hydroxyphenylbenzotriazole, benzenesulfonate esters of, 1159

Ide–White apparatus, elongational viscosity of LDPE studied using, 3435
Ignition, of polymers, hazard ranking method for, 45
Imidized, water-soluble polymeric amides, 3611
Immobilization, of *Mortierella vinacea* cells, by radiation polymerization, 295
Immobilization of microbial cells on cellulose–polymer surfaces by radiation polymerization, 3849
Impact failure, of reinforced foams, determined by falling ball test, 1517
Impact properties, 2209
Impact-resistant thermoplastics, 2473
Inductive coupling, glow discharge polymerization of tetramethylsilane by, 3629
Infrared spectroscopy, and conformation, of alkyl vinyl ketone monomer, 3093
Inhibitors, of radical polymerization, asphalts as, 1001
Injection-molded items, microstructural study of, 1787
Injection molding, of disk cavities, analysis of packing stage in, 2999(N)
Interfacial adhesion, in compatibilization of PET–HDPE blends, 2947
—, effect of, on the tensile behavior of polystyrene–glass-bead composites, 3809
Interfacial agents, in jute fiber composites, polyesteramide polyols as, 3029
Interfacial polymerization, 2069
—, polyurea formation by, 1457
Interference polarizing microscopy, 1277
Intermolecular interactions, effect of, on birefringence of PET, 1335
Internal reflectance IR spectroscopy, study of photooxidation of PS using, 3227
Interpenetrating polymer networks, based on polyurethane–polyacrylate systems, 2139
—, gradient, 2151
Intumescent flame retardants for polymers, 1743
Iodine, doping with, 2467
Iodine complexing capability of, 343
Ion diffusion factor, effect of acid number of plasticizers on, in PVC, 1551
Ion exchange membrane, cation, poly(maleic anhydride-alt-co-isobutylene), 1613
Ion exchange resins, anionic, effect of synthesis conditions on, 3701
—, anionic, prepared from chitosan, 1361
—, cation, Cu^{2+} distribution in, ESR study of, 1093
—, cationic, 1465
—, chelating amphoteric, synthesis and characterization of, 983
—, poly(amido–amine) resins as, 3361
—, spent, containment of, by PMMA, 1779
Ionically crosslinked poly(acrylic acid) membranes, 3063
Ionomer, sulfonated EPDM, 3321
Ionomer–nylon blends, WAXS studies of, 2247
Ionomers, sulfonated EPDM zinc salts as, 1717
IPNs, based on polyurethane–polyacrylate systems, 3745, 3759
IPNs containing polyacrylamide gradients in poly(ether urethane), 2151
IR, DSC curve specificity in poly(caprolactam) fibers studied using, 1025
IR absorption studies, of *N*-hydroxyethyl acrylamide, 109
IR dichroism, study of microstructure of injection-molded parts using, 1787
IR measurements, crystallinity of PET studied using, 2177
Iron compounds, as smoke suppressants in poly(vinyl chloride) combustion, 1573
γ-Irradiated celluloses, IR spectra of, 879(N)
Irradiation, electron beam, grafting of acrylonitrile onto PE induced by, 1879
γ-Irradiation-initiated grafting, of carboxyl-containing polymers, 1179
Irradiation of PVC, stabilization against, 3349
IR spectra, 1283
—, computerized data processing, short-chain branching in PE determined by, 3707
—, of cured resins, 1729
—, of deacetylated chitosan, 1909
—, of γ-irradiated celluloses, 879(N)
IR spectra of phenolic resins and their derivatives, 531
IR spectra studies, 1651
IR spectrometry, study of amine curing of epoxy resin using, 2567
IR spectroscopy, 1255, 3313
—, computer-assisted, 1957
—, diffuse reflectance, of PET pyrolyzates, 715
—, internal reflactance, study of photooxidation of PS using, 3227
—, study of electron beam irradiation-induced grafting, 1879
IR studies, 1147, 2291, 2659, 3467, 3859
Isobutane, solubility of, in PE, 725
Isobutene oligomers, selective synthesis of, 241
Isocyanurate–oxazolidone resins, viscoelastic properties of, 1729
Isocyanurate rings, thermosetting resins having, 1729
Isoporous polystyrene, macronet, heat of swelling of, 685
Isoprene, coordination copolymerization with butadiene, 1585
Isotactic PP, preparation of, by zone-annealing method, 179

Isothermal degradation of *cis*-1,4-polyisoprene vulcanizates, 3467
Isothermal transient current studies in cellulose acetate films, 2483
Isotropic laminate theory, modulus of reinforced polyester foams predicted by, 1517

Jute fiber, composites of, with polyesteramide polyols as interfacial agent, 3029

Keratin fibers, complex modulus of, 1221
Kerner equation, 1517
Koch static mixture, preparation of melt-spun PP–nylon 6 blends using, 2011

LALLS, study of ultrasonic degradation of polysaccharide, 873(N)
Langmuir isotherms, for adsorption of enzymes on immobilizing fibrous supports, 1447
Languirean absorbing modes, 3817
Lap shear strengths as a function of bonding conditions, 1429
Larvicides, mosquito, polymeric, controlled release of tri-*n*-butyitin fluoride from, 2823
Lee, Rogers, and Woo theory, 1931
Lennard–Jones collision diameters, 209
Letters, 437, 2463
Light scattering, 1331
—, characterization of polyamide-hydrazides by, 2729
—, laser, study of polyolefins using, 3873(N)
—, low-angle laser, study of ultrasonic degradation of polysaccharide, 873(N)
—, study of MWD and branching in HDPE using, 3453
Light scattering studies, of high-impact polystyrene, 1409
Lignin wastes, wood adhesives based on, 1969
Linocellulose, reaction with oxidants, DSC studies of, 647
Loeb–Sourirajan-type membranes, 1641
LOI studies, 2411
Low-profile additives, for unsaturated polyester resins, 743

Macronet isoporous styrene polymers, heats of swelling of, 685
Macroporous styrene–DVB resins, anion exchange resins prepared from, 3701
Magic angle spinning, ^{13}C-NMR/CP studies, 3513
Magnetic fields, low, influence of, on semicrystalline polymers, 3603(N)
Maleic anhydride, hydantoin vinyl ether copolymers with, 343
MAPO, curing of carboxy-terminated PB using, 595
Mass spectra studies, 1651
Mass spectrometry, field desorption, of styrene oligomers, 2303
—, thermal stability of iodine-doped polyacetylene studied by, 1265
Matrices, polymeric, deformation and failure of, under swelling conditions, 1981
Matrix effect on the Stokes shift, of fluorescent dye molecules in pure and plasticized polymers, characteristic features of, 1819
Maugis and Barquins, equation for kinetics of adherence, 2647
Maxwell–Wagner–Sillars polarization, in aluminum hydroxide-filled epoxy resin, 3075
M_c, determination of, for polyurethanes, 2139
McGregor–Harris model, for sorption of simple ions by nylon 6, 2813
Mechanical and transport properties, of drawn low-pressure low-density polyethylene, 1815(N)
Mechanical–dilatational effects, in particulate-filled amorphous thermosets, 3369
Mechanical properties of products of thermocatalytic and radiolytic styrene–acrylonitrile copolymerization, 3695
Mechanochemical process, in cotton cellulose fiber, 1
Melamines, fully alkylated, crosslinking of hydroxy-functional acrylic copolymers with, 253
Melt flow crystallization, of ultrahigh molecular weight polyethylene under curvilinear flow conditions, 1837
Melt-spinning, of polyesters and copolyesters, 2291
Melt spinning of PET, structural transitions in a range of spinning speeds, 567
Membrane, obtained by preirradiation grafting onto poly(tetrafluoroethylene–hexafluoropropylene), 1465
Membranes, amphiphilic graft copolymer latex, 109
—, cellulose acetate, concentration of radioactive liquid streams by, 1641
—, composite, PVA–poly(vinyl acetate), permeation characteristics of, 3041
—, metal ion transport through, 1613
—, permeabilities of special polymer, 1361
—, poly(acrylic acid), ionically crosslinked, composite reverse membranes from, 3063
—, RO, concentration of radioactive liquid streams by, 1641
Membrane transport, regulation of, 3281
Mercaptide, tin, stabilization of PVC by, 3349
Mercaptobenzothiolates, effect of, on *t*-butylhydroperoxide decomposition, 691
Metal ions, polyimide films containing, properties of, 2393
Methacrylamide, high-molecular-weight polymers prepared in presence of persulfate, 3607
Methacrylate, hexafunctional, hydrogel prepared from copolymer containing, 2451(N)
Methacrylates, grafting of, 3549
Methacrylic acid, trimethylolpropane triester of, radiation crosslinking of PVC with, 2083
Methanol–water, pervaporation of, by poly(γ-methyl-L-glutamate) membrane, 1949
Methoxytetraethyleneglycol methacrylate, copolymerization of, in cellulose surfaces, 3849
Methyl acrylate, grafting of, onto bleached wood pulp, 3003(N)
Methyl α-eleostearate, reaction with 3-methyl phenol, 3859
Methyl methacrylate, copolymerization of styrene with, kinetics of, 2767
—, grafting of, 87
—, grafting of, onto nylon 6, 2673(N)
—, grafting of, onto nylon 6, photoinitiated, 3665
—, grafting of, onto phosphate-modified $CaCO_3$, 3549
—, grafting of, onto silk fibers, using Ce(VI)–sucrose redox system, 1811(N)
—, photopolymerization of, 2425
Methyl methacrylate copolymers, Si-containing, O_2 transport in, 2793
3-Methyl phenol, reaction of, with tung oil , 1147
—, reaction with methyl α-eleostearate, 3859
Methyl vinyl ketone, anionic polymerization of, 1255
Mica, interaction of, with cationic silane coupling agent, 1235
—, silane-treated, coupling of PS to, 3565
Micellar equilibria, role of, on modelling of batch emulsion polymerization reactors, 901
Micelle, reversed, hydrolysis of dextrin in, 3309(N)
Michaelis constant for microbial cells immobilized on cellulose surfaces, 3849
Michaelis constants, of immobilized *Mortierella vinacea* cells, 295
Microbial cells, immobilization of, 2167
—, immobilization of, on cellulose surfaces, radiation-induced, 3849
Microcavity formation, in engineering polymers exposed to hot water, 2925
Microorganism degradation, of polycaprolactones, 335
Microphase separation, 1729
—, in Cu^{2+} cation exchange resin systems, 1093
Microscopic study, of compatibility of LDPE–poly(ε-caprolactone) blends, 2541

Microscopy, hot-stage, study of PE–PP blends by, 605
—, polarized light, study of water transport in hydrophilic glassy copolymers using, 1299
—, study of processing of dry-blended PVC powder particles using, 1847
Microstructural characterization, of injection-molded articles, 1787
Microwave dielectric constants, of water–paper mixtures, 969
Miscible blends, of a vinylidene chloride/vinyl chloride copolymer, with aliphatic polyesters, 1347
MMA, grafting of, onto gelatin, Ce(IV)-initiated, 2715
Modified cottons, thermal treatment of, 311
Modulus, of amine-cured epoxy resin, effect of cure extent on, 2831
—, axial elastic, DSC curve specificity in poly(caprolactam) fibers studied using, 1025
—, complex, of keratin fibers, 1221
Moisture absorption, effect of, on boundary interphase in particulate composites, 3145
Moisture regain, of nylon-6-*g*-polyacrylamide, 2217
—, swelling of cotton fibers, in aqueous ethylenediamine solutions measured using, 2235
Moisture-related properties of hydrolyzed polyester, 2465(E)
Molding, injection, of polybutylene, processing–mechanical property relationships in, 2341
Molecular orientation, in drawn and shrunk PET, 1195
Molecular weight determinations, 1651
—, in a θ solvent, 2325
Molecular weight distribution, of LDPE, effect of, on tubular blown film extrusion, 3399
Molecular weight distributions, continuum extended using Gex, 795
Molecular weights, of high-molecular-weight poly(ethylene oxide)s, determination of by means of a quick cloud point titration, 2445(N)
Molluscicides, polymeric, controlled release of tri-*n*-butyltin fluoride from, 2823
Mono(hydroxyethyl)phthalate, divalent metal salts of, crosslinking of poly(ethylene glycol)s with, 3793
Monomer, hydration ability of, 2167
Mooney–Rivlin technique, determination of M_c of polyurethanes by, 2139
Morphological study, of melt flow crystallization, of UHMW PE, 1837
Morphology, of anion exchange resin, 3701
—, of LDPE–poly(ϵ-caprolactone) blends, 2541
—, of PVC powder particles, effect of dry blending on, 1847
Mosaic-block structural model, of isotactic PP, 3049
Multimethod procedure for characterization of branched polydisperse polymers, 3105
MWD, in HDPE, 3453

Natural rubber, antioxidant effects during blade abrasion of, 709
—, fiber-reinforced viscoelastic properties of, 3485
—, properties of, effect of clay on, 659
Newsprint, pyrolysis of, 367
Nicolais–Narkis equation, 1517
Ni(II), complexing of, by poly(amido–amine) resins, 3361
Nitrile–epoxy systems, aging and performance of, 283
Nitrous oxide index, of intumescent flame retardant PAN, 1743
NMR, ^{13}C-, CP/MAS, studies, 3513
—, ^{13}C-, solid-state, studies, 3497
NMR studies, 1147, 1651, 3467, 3859
NO_2-initiated polymerization of acrylonitrile, 2005
Novolac resins, properties and chemical structure of, 531
Nucleating agents, in foam extrusion of thermoplastic resins, 2961, 2983
Nylon 6, grafting of acrylamide onto, photoinduced, 2217
—, grafting of methyl methacrylate onto, photoinitiated, 3665
—, grafting of vinyl monomers onto, 2673(N)
—, polypropylene blends with, melt spinning of, 2011
—, sorption of simple ions by, 2813
—, sorption of *p*-toluene sulfonic acid by, 3281
Nylon 6 composites, effects of coupling agents on properties of, 3387
Nylon 6 fibers, grafting of acrylamide onto, 2125(N)
Nylon–ionomer blends, WAXS studies of, 2247
Nylon 6 polymerization, in plug-flow reactors, optimal temperature profiles for, 2261
—, simulation of, in isothermal plug flow reactor with recycle, 1625

Oligoesteralcohols, synthesized from DMT production waste materials, 431(N)
Oligomerization, thermal, of styrene, analysis of, by field desorption mass spectrometry, 2303
On-line measurement, of surface tension and density, 407
Optical behavior, stress, of PS, 1931
Optical properties of cotton fibers, polarizing interference microscopy used in determining, 1277
Organic coatings, kinetics of, 253
Orientation, crystal, of ultrahigh-molecular-weight PE, 1207
—, of zone-annealed isotactic PP fibers, 179
Oscillating flow phenomenon, in high-density polyethylene, 2777
Osmometry, study of PVC by, 33
Osmosis, reverse, in cellulose acetate membranes, 3715
O_2/tetramethylsilane, surface hardening of PE sheet by glow discharge polymerization of, 3629
Oxazolidone rings, thermosetting resins having, 1729
Oxo acid catalysis, of isobutene oligomerization, 241
4,4′-Oxydianiline, polyimide films prepared from, 2393
Oxygen index, of intumescent flame retardant PAN, 1743
Oxygen index test, 123
Oxygen transmission, of PE film, tear strength studied using, 3011
Oxygen transport in crosslinked, silicon-containing copolymers of methyl methacrylate, 2793

Packing stage, in injection molding, of disk cavities, analysis of, 2999(N)
PAN, calculation of T_g for, from dielectric data using WLF theory, 2745
Paper–H_2O mixtures, microwave dielectric constants for, 969
Particle size, effect of, on rheological properties of $CaCO_3$, 1481
—, of fillers, effect of, on entanglement, 1561
Particulate composites, boundary interphase in, effect of moisture absorption on, 3145
Particulate-filled composites with amorphous glassy polymers, aging in, 3269
Parylene D, water permeation in, 1535(N)
PB, carboxy-terminated, curing reactions in, 595
PE, combustion of, influence of oxidizing temperature on, 461
—, containing flame retardants, polymer burning characteristics of systems containing, 1389
—, flame retardant additive for, 123
—, grafting of acrylonitrile onto, electron beam irradiation-induced, 1879
—, LD, drawn, transport and mechanical properties of, 1815(N)
—, LD-extrudate, effect of long chain branching on extrudate swell of, 2389
—, linear, radiation-induced crystallinity in, effect of aging on, 861
—, as low-profile additive for unsaturated polyester resins, 743
—, molten, mixture with fluorocarbon blowing agent, rheology of, 831

—, solubility of isobutane and propane in, 725
—, stabilization of, by triazine thiols, 691
—, UHMW, melt flow crystallization of, 1837
—, ultrahigh molecular weight, rolling of, 1207
PE fibers, ultrastrength, prepared by Couette flow, 57
—, ultrastrength PE fibers prepared by Couette flow, 77
PE melts, influence of magnetic fields on die swell of, 3603(N)
Penetration temperature, study of carboxy-terminated PB curing by, 595
PE resins, injection-molded, study of microstructure of, 1787
Perforated shim stock support, in DMA, 2105
Permeabilities, of polymer membranes, 1613
—, of special polymer membranes, 1361
Permeability, of polyurea membranes, 1457
Permeability of ionic solutes, 109
Permeant saturation and regulation of membrane transport, 3281
Permeation, of methyl chloride and benzene, through FEP Teflon, 209
—, time-lag, numerical solution for, 3589(N)
—, of water through cellulose membranes, activation energy of, 2401
—, of water through PVA membranes, activation energy of, 2401
Permeation cell, continuous-flow, 209
Permeation characteristics of poly(vinyl alcohol)–poly(vinyl acetate) composite porous membranes, 3041
Persulfate, high-molecular-weight polymethacrylamides prepared in presence of, 3607
Persulfate-initiated grafting, of styrene onto polysaccharide, 2455(N)
Pervaporation of methanol–water mixture by poly(γ-methyl L-glutamate) membrane and synergetic effect, 1949
PE sheet, surface hardening of, 3629
PET, blends of HDPE with, compatibilization of, 2947
—, melt spun, structural transitions in, 567
—, pure and nucleated, crystallinity of, 2177
—, tensile modulus and molecular orientation in, 1195
PET fiber, birefringence of, 1335
PET fibers, grafting of glycidyl methacrylate onto, redox-initiated, 303
—, pyrolysis of, 715
Phase-change material, polymeric, 2903
Phase diagram, 3-dimensional, in quaternary systems of polymers and solvents, 2755
Phase distribution morphology, of melt-spun PP–nylon 6 blends, 2011
Phase morphology, in compatibilization of PET–HDPE blends, 2947
Phenolic resins, resole, GPC analyses of, 2611
Phenolic resins and their derivatives, properties and chemical structure of, 531
Phenolics, heat aging of, accelerated, 2593
Phenols, hindered, as antioxidant, in natural rubbers, 709
Phenyl-carboranyl pentachlorocyclotriphosphazene, thermal polymerization of, 2659
p-Phenylenediamine, as antioxidant, in natural rubbers, 709
Phenylethynyl groups, pendant, polyphenylquinoxalines containing, 355
Phenylphosphonic acid, polycondensation of bisphenols with, 1119
Phenylphosphonic dichloride, polycondensation of bisphenols with, 1119
Phosgene–bisphenol A, simultaneous reaction–precipitation polymerization of, 587
Phosphate-modified calcium carbonate, grafting of methacrylates and styrene onto, 3549
Phosphazene-modified epoxy-based cyclomatrix system, study of, 921
Phosphorus-containing polyimides, preparation and properties of, 2805
Phosphorus-containing polymers, 2439(N)
—, low temperature polycondensation of phenylphosphonic dichloride with bisphenols, 1119
Photoacoustic study of thermal degradation of polyurethane, 2317
Photocrosslinkable polymer, syntheses of, from modified poly(methyl vinyl ketone), 1255
Photodegradation, protection of PVC from, 97
Photo-Fries rearrangements of sulfonate esters of hydroxyphenylbenzotriazoles, 1159
Photoinduced graft copolymerization, of nylon 6 fibers, with acrylamide, 2217
Photoinduced grafting, of acrylate monomers, onto PVA, 3081
—, of nylon 6 fibers, with acrylamide, 2125(N)
Photoinduced graft polymerization, of methyl methacrylate, onto nylon 6 in presence of Py–Br_2, 3665
Photoinitiation, cationic, of copolymerization, hybrid, of alkyl vinyl ethers and glycidyl ethers, 3651
Photooxidation of amine crosslinked epoxies, 2599
Photooxidation of amine-crosslinked epoxy resins, influence of structure, 2677
Photooxidation of polystyrene, 3227
Photopolymerizable PVA–acrylate monomer blends, dynamic mechanical properties of, 3081
Photopolymerization using sensitizers of binary system of aromatic hydrocarbon and amine, 2425
Photoresponsive polymer, 1321
Photoresponsive polymeric adsorbent and its application for cell adhesion chromatography, 1321
Photosensitive rubbers, from hydroxyethyl cinnamate and polyisoprene modified with maleic anhydride, 543
—, synthesis and properties of, 543
Photosensitivity, of partially cinnamoylated allyl resins, 11
Photosensitizer, polymerization, binary system containing aromatic hydrocarbon and amine, 2425
Phthalic anhydride, electrophilic substitution of PS with, 2463(L)
Phthalic esters, migration of, from PVC to water, 1751
Plastic foams, cushioning properties of, 135
Plasticization, of poly(bisphenol-A-carbonate) by UV stabilizers, 1685
—, of sulfonated EPDM, by zinc stearate, 1717
Plasticized polymers, Stokes shift of fluorescent dyes in, 1819
Plasticizers, migration of, from PVC to water, 1751
—, modification of polyurethanes by addition of, 1033
Platelet adhesion, effect of crystallinity of condensation polymers on, 437(L)
Plug-flow reactor, 2261
—, isothermal, 1625
PMMA, as low-profile additive for unsaturated polyester resins, 743
—, plasticized, Stokes shift of fluorescent dyes in, 1819
—, rubber-toughened, fatigue damage in, 2689
Polar composite supports for use in solid phase synthesis, 3137
Polarizing microscope, interference, 1277
Polarizing microscopy, study of poly(*p*-phenylene terephthalamide) fibers by, 579
Polyacetylene, iodine-doped, thermal decomposition of, 1265
Polyacrylamide, blends of nylon 6 with, WAXS studies of, 2247
—, partially imidized, 3611
Poly(acrylamide-co-acrylic acid), blends of nylon 6 with, WAXS studies of, 2247
Polyacrylamide gradients, in poly(ether urethane), 2151

Polyacrylamide–PVA blends, dynamic mechanical properties of, 3081
Polyacrylate–polyurethane systems, IPNs based on, 2139
Poly(acrylic acid), blends of nylon 6 with, WAXS studies of, 2247
—, grafting of, 1179
Poly(acrylic acid) grafting onto polyethylene, 3767
Poly(acrylic acid) membranes, ionically crosslinked, composite reverse membranes from, 3063
Poly(acrylonitrile), ammonium polyphosphate–hexabromocyclododecane system as flame retardant for, 1743
—, dielectric relaxation of, 1167
—, effect of heat treatment of, on dielectric relaxation of, 2745
Poly(allyl benzoate), cinnamoylated, photosensitivity of, 11
Polyamide, grafting of, onto macroporous PS resins, 3137
Polyamide-hydrazides, characterization of, by viscometry and light scattering, 2729
Polyamideimides, as processable heat-resistant polymers, 225
Polyamide–polyether copolymers, 2473
Polyamides, arylene sulfone ether, properties of, 2069
—, containing functional groups, electron sensitivity of EB resists from, 699
Poly(amido–amine) ion exchange resins, effect of crosslinking agent on ion binding properties of, 3361
Poly(amine–amide) resins, basicity and complexing properties of, 3361
Polyaniline coatings, on Fe sheets, S-bridged, anodic synthesis of, 1125
Poly(bisphenol-A-carbonate) blends with UV stabilizer, study of glass transitions of, by DSC and TOA, 1685
Polybutadiene, reaction of reactive antioxidant for rubber based on tetrazoles with, 3671
cis-Polybutadiene, abrasion of, mechanisms for, 943
cis-1,4-Polybutadiene rubber, high, toughened PS containing, 3255
Polybutylene, injection molding of, processing–mechanical property relationships in, 2341
Poly(butylene terephthalate), flame resistance of, 1119
Poly(caprolactam) fibers, DSC curve specificity in, 1025
Poly(ϵ-caprolactone), blends of LDPE with, 2541
Polycaprolactones, fungal degradation of, 327
—, microorganism degradation of, 335
Polycarbonate, exposed to hot water, microcavity formation in, 2925
Polycarbonates, copolymers containing phosphorus, preparation of, 2439(N)
Polycondensation, preparation of aryl polyphosphonates by, 1119
Polycondensations, reversible, in wiped film reactors, simulation of, 1063
Polyconjugated polymers, effect of high pressure on, 2467
Poly(diallyl phthalate), cinnamoylated, photosensitivity of crosslinked, 11
Poly(2,6-dimethyl-1,4-phenylene oxide), compatibility of poly(fluorostyrene-co-chlorostyrene) blends with, 1379
Polydisperse polymers, branched, multimethod procedure for characterization of, 3105
—, branched, θ solvent for, 3105
Polyene distribution, 33
Polyester, grafting of, onto carbon black, 2381
—, jute fiber composites with, 3029
Polyesteramide polyols, as interfacial agents in jute fiber composites, 3029
Polyester/cotton blend fabrics, grafting of carboxyl-containing polymers onto, 1179
Polyester fabric, grafting of bromostyrene onto, radiation-induced, 2411
Polyester fiber-reinforced rubber, reinforcement mechanism in, 2633
Polyester fibers, grafted, thermal stability of, 3123
Polyester foams, fiberglass-reinforced, polyester foams, tensile properties of, 1517
Polyester plasticizer, effect of acid number of, on PVC properties, 1551
Polyester resin, unsaturated, chemorheology of, 3155, 3185, 3207
—, unsaturated, curing kinetics of, 3185, 3207
Polyester resins, unsaturated, swelling of, determination of cohesive energy density from, 2847
Polyesters, aliphatic, miscible blends of, 1347
—, equilibrium acid concentrations in, 3779
—, liquid crystalline, thermotropic, processing of, 1805
—, unsaturated, curing kinetics of, with styrene, 485
Polyester–urethane block copolymers, crosslinking agent for, 3497
Poly(ether imide), exposed to hot water, microcavity formation in, 2925
Polyether–polyamide copolymers, impact-resistant thermoplastics, 2473
Poly(ether sulfone), exposed to hot water, microcavity formation in, 2925
Poly(ether urethane)s, polyacrylamide gradients in, IPNs containing, 2151
Poly(ethyl acrylate)/PS composites, temperature-sensitive, 383
Polyethylene, comparison between linear and branched low-density, 3503
—, crosslinked, dielectric loss behavior of, 1137
—, grafted with acryloylsarcosine methyl ester, γ-radiation-induced, 3137
—, high-density, blends of PET with, compatibilization of, 2947
—, high-density, branching and MWD in, 3453
—, high-density, crosslinked pellets of, thermal-energy storage in, 2903
—, high-density, effect of, on chemorheology of thermosetting resins, 3185
—, high-density, oscillating flow phenomenon in, 2777
—, low-density, blends with poly(ϵ-caprolactone), 2541
—, low-density, controlled release of tri-*n*-butyltin fluoride from, 2823
—, low-density, high-pressure tubular blown film extrusion of, 3399, 3419
—, low-density, low-pressure, tubular blown film extrusion of, 3419
—, low-density, rheological properties of, 3435
—, low-density with fluorocarbon blowing agent, foam extrusion characteristics of, 2961
—, short-chain branching in, computerized data processing of IR spectra, 3707
Poly(ethylene adipate), polyurethane preparation from TDI and, DSC study of, 2281
Poly(ethylene-co-acrylic acid), blends of nylon 6 with, WAXS studies of, 2247
Poly(ethylene-co-vinyl alcohol), blends of nylon 6 with, WAXS studies of, 2247
Polyethylene film, oxygen transmission through, tear strength studied using, 3011
Poly(ethylene glycol)s, crosslinking of, by divalent metal salts, 3793
—, prepolymers and crosslinked films based on, 2509
Poly(ethylene oxide)s, determination of molecular weight of, by cloud point titration, 2445(N)
Polyethylene–polypropylene blend, structure and properties of, 605
Polyethylenes, $CaCO_3$-filled, tensile properties of, 2701
Poly(ethylene terephthalate), birefringence of, during stress relaxation, 2033
—, filaments spun from, 3619
—, solid-state polymerization of, 3289
—, thermal degradation of, 2887
—, x-ray diffraction study of films and fibers of, 3599(N)
Poly(fluorostyrene-co-chlorostyrene), compatibility of PPO blends with, 1379
Polyglycidyl ether of bisphenol A Novalac, high-performance epoxy resins based on, 2227

Polyhydrocarbons, 123
Polyimide films containing metal ions, comparison of physical and mechanical properties of, 2393
Polyimides, addition, 191
—, arylene sulfone ether, properties of, 2069
—, phosphorus-containing, 2805
Polyisobutylene, dynamic mechanical analysis of polymers and blends containing, 2105
Poly(isobutylene-alt-co-maleic anhydride), membranes from PVA, 1613
Polyisoprene, *trans*-, dynamic mechanical analysis of polymers and blends containing, 2105
—, maleic anhydride-modified, photosensitive rubbers prepared from, 543
Poly(isoprene-*b*-styrene), adhesion of, to glass, 1429
cis-1,4-Polyisoprene vulcanizates, isothermal degradation of, 3467
Poly(L-lactide), resorbable fibers of, 1045
Poly(maleic anhydride-alt-co-isobutylene), membranes from PVA, 1613
Polymer–solvent systems, quaternary, 3-dimensional phase diagram for, 2755
Polymethacrylamide, partially imidized, 3611
Polymethacrylamides, high-viscosity, partially hydrolyzed, 3607
Poly(methacrylic acid), grafting of, 1179
Polymethacrylonitrile, dielectric relaxation of, 1167
Poly(methyl acrylate), IPNs based on polyurethanes and, 3745, 3759
Poly(γ-methyl-L-glutamate) membrane, pervaporation of water–methanol by, 1949
Poly(methyl methacrylate), effect of, on chemorheology of thermosetting resins, 3207
—, as incorporation medium for spent ion-exchange resin, 1779
Poly(methyl vinyl ketone), modified, photocrosslinkable polymer from, 1255
—, reaction of cinnamoyl chloride with, 1255
Polyolefinic elastomers, for use in circulatory assist devices, 1871
Polyolefins, refractive index increments of, 3873(N)
trans-Polypentenamer, abrasion of, mechanisms for, 943
Poly(*p*-phenylene terephthalamide), axially compressed, deformation bands in, 579
Polyphenylquinoxalines, containing pendant phenylethynyl groups, 355
Polyphosphazenes, carborane-substituted, synthesis and thermal stability of, 2659
Polyphosphonates, aryl, synthesis of, 1119
Polypropylene, blends of nylon 6 with, WAXS studies of, 2247
—, grafted with acryloylsarcosine methyl ester, γ-radiation-induced, 3137
—, isotactic, of varied thermal histories, equilibrium disperse-dye sorption of, 3049
—, isotactic, preparation of, by zone-annealing method, 179
—, isotactic, proton relaxation times in, 1707
—, nylon 6 blends with, melt spinning of, 2011
—, phosphonated chlorinated, stability of, 123
Polypropylene fibers, grafted, thermal stability of, 3123
Poly(propylene glycol)s, prepolymers and crosslinked films based on, 2509
Polysaccharide, grafting of styrene onto, persulfate-initiated, 2455(N)
—, ultrasonic degradation of, 873(N)
Polysiloxanes, modification of polyurethanes by addition of, 1033
Polystyrene, blends of poly(vinyl methyl ether) and, 2937
—, dynamic mechanical analysis of polymers and blends containing, 2105
—, electrophilic substitution of, with aromatic anhydrides, 2463(L)
—, high-impact studies of, 1409
—, macronet isoporous, heats of swelling of, 685
—, macroporous, grafting of polyamide onto, 3137
—, photooxidation of, 3227
—, rubber-modified, aging of, 391
—, surface orientation of, 1439
—, tensile and impact properties of, 2209
—, T_g of, effect of diluents on, 23
—, toughened, containing high *cis*-1,4-polybutadiene rubber, 3255
Polystyrene foam extrusion, 2983
Polystyrene–glass-bead composites, tensile behavior of, effect of interfacial adhesion on, 3809
Poly(styrene-*b*-isoprene), adhesion of, to glass, 1429
Polysulfone, exposed to hot water, microcavity formation in, 2925
Polysulfone films, sulfonated, ionic heterogeneities in, 3235
Polysulfone membranes, ionically crosslinked PAA reverse osmosis membranes based on, 3063
Poly(TFE–hexafluoropropylene), membrane obtained by preirradiation grafting, 1465
Polyurea membrane, studies on, 1457
Polyurethane, preparation from poly(ethylene adipate) and TDI, DSC study of, 2281
—, thermal degradation of, photoacoustic study of, 2317
Polyurethane compositions, dynamic mechanical and vibration damping properties of, 2187
Polyurethane elastomers, prepared from hydroxyl-terminated PB, effect of low molecular weight diols on, 3559
—, relationship between efficiency of antipyrens and thermal properties of, 3019
—, for use in circulatory assist devices, 1871
Polyurethane–ester block copolymers, crosslinking agent for, 3497
Poly(urethane ether)s, polyacrylamide gradients in, IPNs containing, 2151
Polyurethane foams, flexible, sequential exothermic reactions leading to, 2053
—, rigid, from oligoester alcohols, 2491
Polyurethane–polyacrylate systems, IPNs based on, 2139
Polyurethanes, adherence of, influence of testing machine stiffness on, 2647
—, amorphous, particulate-filled, mechanical–dilatational effects in, 3369
—, IPNs based on polyacrylates and, 3745, 3759
—, M_c of, determination of, 2139
—, modified, morphology of, 1033
Poly(vinyl acetate), effect of, on chemorheology of thermosetting resins, 3207
—, impregnation of cellulose fiber networks with, 1599
—, as low-profile additive for unsaturated polyester resins, 743
Poly(vinyl acetate)–PVA composite membranes, permeation characteristics of, 3041
Poly(vinyl alcohol), acetalized, as negative electron beam resists, 2433(N)
—, impregnation of cellulose fiber networks with, 1599
Poly(vinyl alcohol)–acrylonitrile–*N*-hydroxyethyl acrylamide graft copolymer latex membranes, 109
Poly(vinyl chloride), effect of, on physicochemical properties of, 3349
—, radiation crosslinking of, with trimethylolpropanetrimethacrylate, 3527
Poly(vinyl methyl ether), blends of PS and, 2937
Potentiometric titration, nonaqueous, study of carboxylated vinyl-acrylic latexes using, 1667
Potentiometry studies, 3361
PP, combustion of, influence of oxidizing temperature on, 461
—, flame retardant additive for, 123
PPO, blends of, with statistical copolymers of styrene/α-methylstyrene, 1677
—, compatibility of, 219
PP–PE blend, properties of, 605
Precipitative polymerization, for polycarbonate, 587
Pressure, effect of, on solubility of organic materials, in PE, 725
Processing–mechanical property relationships in injection moldings of polybutylene, 2341

Propane, diffusion and solubility of, 2937
—, solubility of, in PE, 725
Propellants, solid, composite, carboxy-terminated PB containing, 595
β-Propiolactone grafting of, onto carbon black initiated by quaternary ammonium carboxylate groups, 2381
Propylene, gas phase polymerization of, continuous polymerization parameters for, 3593(N)
Propylene–ethylene copolymer, oscillating flow in, 2777
Proton relaxation times in isotactic polypropylene, 1707
PS, carboxylated, titration analysis of, 1667
—, combustion of, influence of oxidizing temperature on, 461
—, compatibility of, 219
—, flame retardant additive for, 123
—, mixture with fluorocarbon blowing agent, rheology of, 851
—, molecular weight determinations for, in a θ solvent, 2325
—, molten, rheological properties of suspensions of $CaCO_3$ in, 1481
—, stress optical behavior of, 1931
PS/poly(ethyl acrylate) composite, temperature-sensitive, 383
Pulp, dissolving, grafting of monomers onto, 1371
PVA, grafting of acrylate monomers onto, photoinduced, 3081
—, membranes from metal ion transport through, 1613
PVA–acrylate monomer blends, photopolymerizable, dynamic mechanical properties of, 3081
PVA membranes, effect of degree of hydration of, 2401
PVA–polyacrylamide blends, dynamic mechanical properties of, 3081
PVA–poly(vinyl acetate) composite membranes, permeation characteristics of, 3041
PVC, combustion of, Fe compounds as smoke suppressants in, 1573
—, dehydrochlorinated, grafting of styrene onto, 1245, 1283
—, dry blending of, effect on morphology of powder particles, 1847
—, effect of acid number of plasticizers on, properties of, 1551
—, effect of metal cyanurates on properties of, 443
—, grafting of, 97
—, γ-irradiated, stabilization of, by epoxy compounds, 501, 513, 519
—, migration of phthalic esters to water from, 1751
—, radiation crosslinking of, 2083
—, radiation-curable coating based on, 2553
—, rigid, effect of stabilizer type on mechanical properties of, 3247
—, stability of, 97
—, thermal degradation of, effect of tacticity on, 33
PVC dispersion resins, in plastisols, 807
Pyridine, plasma-polymerized, spectroscopic elucidation of chemical structure, 1651
Pyridine–Br_2, charge transfer complex of, grafting of methyl methacrylate onto nylon 6 photoinitiated by, 3665
Pyrolysates, from high-performance fabrics, combustibility study of, 3681
—, polymer, flammability of air mixtures with, 449
Pyrolysis, of newsprint, low pressure, 367
Pyrolysis of poly(ethylene terephthalate) fibers, 715
Pyromellitic anhydride, phosphorus-containing polyimides based on, 2805

Quaternary ammonium carboxylate groups, 2381
Quaternary systems, of polymers and solvents, 3-dimensional phase diagrams for, 2755

Radiation, γ-, effect of, on PMMA incorporating spent ion exchange resins, 1779
γ-Radiation, preparation of hydrogels via, 2451(N)
Radiation crosslinking of poly(vinyl chloride) with trimethylolpropanetrimethacrylate, 3527
—, effect of diundecyl phthalate on, 2553
Radiation crosslinking of PVC with trimethylolpropanetrimethacrylate, 2083
Radiation-curable coating, 2553
Radiation-induced crystallinity changes in linear polyethylene, influence of aging, 861
Radiation-induced grafting, of acrylic acid, onto fluorine-containing polymers, 1465
—, of bromostyrene onto polyester fabric, 2411
Radiation-induced immobilization of microbial cells on cellulose surfaces, 3849
Radiation polymerization, immobilization of *Mortierella vinacea* cells by, 295
—, immobilization of microbial cells by, 2167
Radical decay rates, variation in, in epoxy as a function of crosslink density, 3301(N)
Radicals per particle, in an emulsion copolymerization system, prediction of the average number of, 2767
Radioactive ions, leaching of, from PMMA, 1779
Radioactive liquid streams, concentration of, by membrane processes, 1641
Radiolytic copolymerization of styrene with acrylonitrile, 3695
Rare earth chloride–alcohol–aluminum trialkyl catalytic systems, 1585
Rate constants, in coordination copolymerization, 1585
Rayon fibers, grafted, thermal stability of, 3123
Razor-blade abrading apparatus, 943
Reaction–precipitation polymerization technique, 587
Reactivity ratios, 343
Reactor, tubular, for heterogeneous polymerization, 887
Reactors, emulsion polymerization, batch, micellar equilibria in, 901
—, polymerization, batch, predictability of temperature increases in, 619
—, polymerization, thermal stability of, 619
—, wiped film, 1063
Redox-initiated grafting, of carboxyl-containing polymers, 1179
Redox-initiated grafting of vinyl monomers, 2673(N)
Redox initiation, of glycidyl methacrylate grafting, onto PET fibers, 303
Redox polymerization system, H_2O_2–hydroxylamine as, 633
Redox system, Ce(VI)–sucrose, for grafting of methyl methacrylate onto silk fiber, 1811(N)
Refractive index, of cotton fibers, 1277
—, study of Young's modulus of PET using, 1195
Refractive index increments of polyolefins, 3873(N)
Refractive indices, of phases, in high-impact PS, 1409
Refractometry, differential, application of, to polyolefins, 3873(N)
Reinforcement, as a hindrance in the disentanglement of unknotted chains, 1561
Reinforcement mechanism, of polyester-fiber-reinforced rubber, 2633
Reinforcing carbon black, effect of, on EPDM rubber, 3333
Relaxation, stress, of natural rubber under compression, 2133
Relaxation measurements, mechanical, of aged HIPS, 391
Relaxation times, proton, in isotactic PP, 1707
Residual monomer, determination of, in polymer emulsions by extractive distillation and gas chromatography, 3585(N)
Resole phenolic resins, GPC analyses of, 2611
Resole resins, properties and chemical structure of, 531
Resorbable materials of poly(L-lactide), 1045
Resorcinol–formaldehyde latex adhesives, tire cord bonding using, 3723
Retardation spectra for the existence of interphase in fiber-reinforced composites, 3641
Reversed micelle, hydrolysis of dextrin in, 3309(N)

Reverse osmosis, concentration of radioactive liquid streams by, 1641
Reverse osmosis membrane, from plasma-polymerized pyridine, 1651
Reverse osmosis membranes, composite, from ionically crosslinked PAA or cellulose acetate, 3063
Reverse osmosis performance of cellulose acetate membrane, 3715
Rheological behavior of wheat starch pastes, effect of sucrose on, 1829
Rheological properties, of $CaCO_3$ suspensions, in molten polystyrene, 1481
Rheological properties of branched low-density polyethylene, 3435
Rheological properties of mixtures of molten polymer and fluorocarbon blowing agent, 831, 851
Rheological properties of nylon 6 composites, effects of coupling agents on, 3387
Rheological studies, of cellulose derivatives solutions, 1527
Rheology, of melt-spun PP–nylon 6 blends using, 2011
—, of solvent-cast polymer films, 3827
Rheology of unsaturated polyester resins, 743, 763, 779
Rheology–processing–property relationships in tubular blown film extrusion, 3399
—, of low-pressure low-density polyethylene, 3419
Rheometer, capillary, 2777
—, capillary, study of LDPE rheology using, 3435
—, cone and plate, 743
—, cone and plate, chemorheology of thermosetting resins studied using, 3155
—, cone and plate, study of LDPE rheology using, 3435
Rheometrics dynamic spectrometer, study of amine curing of epoxy resin using, 2567
Rheometry, capillary, study of processing of dry-blended PVC powder particles using, 1847
—, torque, study of processing of dry-blended PVC powder particles using, 1847
Rheo-optical study, of melt flow crystallization, of UHMW PE, 1837
Rheovibron, dynamic mechanical properties of PU composition studied using, 2187
Ricinus oil, epoxidized, stabilization of, 501, 513, 519
Ring substitution, 3859
Rolling of ultrahigh-molecular-weight polyethylene, 1207
Rubber, abrasion of, 943
—, natural, fiber-reinforced, viscoelastic properties of, 3485
—, natural, under compression, stress relaxation of, 2133
—, natural, vulcanizate of, viscoelastic properties of, 1993
—, polyester fiber-reinforced, reinforcement mechanism in, 2633
Rubber-modified PS, aging of, 391
Rubber phase, in high-impact PS, elongation of, 1409
Rubbers, metal-containing, prepared by crosslinking of poly(ethylene glycol)s, 3793
Rubber-toughened PMMA, fatigue damage in, 2689

SAN, tensile and impact, properties of, 2209
SAXS, by UHMW PE, rolled, 1207
SAXS studies, 3235
SBR, abrasion of, mechanisms for, 943
Scher–Montroll plot for cellulose acetate films, 2483
Schizophyllan polysaccharide, ultrasonic degradation of, 873(N)
Scratch hardness, Bierbaum, of poly(bisphenol-A-carbonate)/UV stabilizer blends, 1685
Sedimentation velocity measurements, in a θ solvent, molecular weight determinations from, 2325
Seeded emulsion polymerization, composites prepared by, 383
Selective synthesis, of isobutene oligomers, with oxo acid catalysts, 241
Semicrystalline polymers, influence of low magnetic fields on, 3603(N)
—, tear strength theory of, 3011
SEM studies, 1033, 1879, 2011, 3333
—, of clay-filled natural rubbers, 659
Sequential nature, of the exothermic reactions leading to the formation of flexible polyurethane foams, 2053
Shear, resistance to, of water-soluble partially imidized polymeric amides, 3611
Shear conditions, rheological behavior of starch–water–sucrose pastes studied under, 1829
Shear strength, of glass-block copolymer bonds, 1429
Shear thinning of suspensions, 743
Silane, vinylbenzyl-, coupling of PS to mica treated with, 3565
Silane coupling agents, clay effect on properties of natural rubber in presence of, 659
Silanes, as coupling agents for nylon 6 composites, effects of, 3387
Silane-treated mica, coupling of PS to, 3565
Silicic acid, silylated, characterization of, 2499
Silicon-containing copolymers of methyl methacrylate, O_2 transport in, 2793
Siliconization of reaction vessels, 2451(N)
Silk fibers, grafting of acrylamide onto, Mn(III)-initiated, 1311
—, grafting of methyl methacrylate onto, using Ce(VI)–sucrose redox system, 1811(N)
Silylated silicic acids, synthesis and characterization of, 2499
Silylation of water glass, 2499
Simulation, of hydrolytic polymerization of ϵ-caprolactam, 2527
—, of nylon 6 polymerization, in tubular reactors with recycle, 1625
—, of reversible AA + B′B″ polycondensations in wiped film reactors, 1063
^{29}Si-NMR studies, 2499
Slip effects, falsification of molecular diffusivity due to, 1549(E)
Smoke suppressants, Fe compounds as, in combustion of PVC, 1573
Sodium bicarbonate, as nucleating agent, in foam extrusion characteristics of, 2983
Sodium dodecyl sulfate, critical micelle concentration of, 1331
Soil release from cotton-containing durable press fabric, 1179
Solid phase synthesis, polar composite supports for, 3137
Solids, strength of, Zhurkov approach to, 2623
Solid-state polymerization of poly(ethylene terephthalate), 3289
Solubility, of isobutane and propane, in polyethylene, 725
Solubility and diffusion of propane in blends of polystyrene and poly(vinyl methyl ether) at $T > T_g$, 2937
Solubility parameters, for unsaturated polyester resins, 2847
θ Solvent, for branched polydisperse polymers, 3105
Solvent-cast polymer films, rheology of, 3827
Sonic velocity measurements, of IPNs, 3745, 3759
Sorption, dual, solution for time-lag diffusion using, 3589(N)
—, moisture, in coir fibers, 625
—, preferential, in cellulose acetate reverse osmosis membranes, 3715
—, of simple ions, by nylon 6 or wool, 2813
—, transient, of sulfur dioxide, in epoxy resin, 201
Soybean oil, epoxidized, stabilization of, 501, 513, 519
Spalding's theory, applied to combustion of polymers, 461
Spectra, retardation, in fiber composites, 3641
Spectroscopic study of PVC, 33
Spencer–Gilmore equation of state, for polymeric melts, 2119
Stability, of PS electrophilically substituted with aromatic anhydrides, 2463(L)

—, thermal, of carborane-containing phosphazenes, 2659
—, thermal, of metal containing polyimide films, 2393
—, thermal, of nylon-6-*g*-polyacrylamide, 2217
—, thermal, of polyimides, 191
—, thermal, of polymerization reactions, 619
—, thermal, of PVC, containing metal cyanurates, 443
Stabilization of γ-irradiated PVC by epoxy compounds, 501, 513, 519
Stabilizers, UV, blends with poly(bisphenol-A-carbonate), study of glass transitions of, by DSC and TOA, 1685
Stabilizer type, effect of, on the mechanical properties of rigid poly(vinyl chloride), 3247
—, effect of, on the physicochemical properties of rigid PVC, 3349
Starch, grafting of styrene onto, persulfate-initiated, 2455(N)
Starch pastes, wheat, rheological behavior of, 1829
Statistical copolymers of styrene/α-methylstyrene, glass transitions of, 1677
Stearic acid, $CaCO_3$ coated with, rheological properties of suspensions of, in molten PS, 1481
—, zinc salt, effect of, on sulfonated EPDM, 3321
Stirring, effect of, on cellulose graft copolymerization, 1371
Stokes shift, of fluorescent dyes, in polymers, matrix effect on, 1819
Strain rate sensitivity parameters, of cellulose derivatives, 1527
Stress optical behavior in polystyrene, 1931
Stress relaxation, birefringence of injection-molded glassy polymers during, 2033
Stress–relaxation of natural rubber under compression, dependence on oxygen concentration, 2133
Stress–strain curves, cushioning properties determined from, 135
Stretching ratio, in isotactic PP, effect of on proton relaxation times, 1707
Structural configuration of cresol–novolak resins, determination of by ^{13}C-NMR spectroscopy, 1263(E)
Structural transitions, in melt spun PET, 567
Structure–property relationship, in copolyesters, 2291
—, in polyamideimides, 225
Styrene, copolymerization of acrylonitrile with, thermocatalytic and radiolytic, 3695
—, copolymerization of methyl methacrylate with, kinetics of, 2767
—, curing kinetics of unsaturated polyesters with, 485
—, emulsion polymerization of, micellar equilibria in, 901
—, grafting of, onto, 1245
—, grafting of, onto dehydrochlorinated PVC, 1283
—, grafting of, onto polysaccharide, persulfate-initiated, 2455(N)
—, polymerization of, in presence of β-pinene, 1701
—, predictability of temperature increases in batch polymerization of, 619
—, radical polymerization of, inhibitors of, 1001
Styrene–divinylbenzene copolymer/PVC systems, 2867
Styrene/DVB networks, T_g of, effect of diluents on, 23
Styrene–DVB resins, macroporous, anion exchange resins prepared from, 3701
Styrene–ethylene diblock copolymers, 961
Styrene oligomers, field desorption mass spectrometry study of, 2303
Styrene oxide, stabilization of, 501, 513, 519
Styrene–β-pinene copolymers, 1701
Styrene polymers, fluorosubstituted, compatibility of, 219
Succinic anhydride, electrophilic substitution of PS with, 2463(L)
Sucrose, effects of, on the rheological behavior of wheat starch pastes, 1829
Sucrose–Ce(VI) redox system, grafting of methyl methacrylate onto silk fiber initiated by, 1811(N)
Sugars, wood adhesives based on lignin wastes, 1969
Sulfite liquor, polymerization of spent, 1969
4,4′-Sulfonyldiphenol, polycondensation of phenylphosphonic dichloride with, 1119
Sulfur, effect of, on vulcanization of EPDM rubber, 3333
Sulfur-bridged polyaniline coatings on Fe sheets, anodic synthesis of, 1125
Sulfur compounds, effect of, on *t*-butylhydroperoxide decomposition, 691
Sulfur dioxide, sorption of, in epoxy resin, 201
Surface acoustic wave, probe for the thermomechanical characterization of polymers, 161
Surface characteristics of films, 161
Surface coating, effect of, on rheological properties of $CaCO_3$, 1481
Surface hardening, of PE sheet, by glow discharge polymerization of tetramethylsilane, 3629
Surface orientation, of polystyrene, measured by liquid contact angle, 1439
Surface protection, of PVC, by photografting of epoxy–acrylate coatings, 97
Surface tension, in emulsion polymerization, on-line measurement of, 407
Swell, extrudate, of LDPE, effect of long chain branching on, 2389
Swelling, of cotton fibers, in aqueous ethylenediamine solutions, 2235
—, of cotton fibers, in benzylamine and 4-amino acetophenone, 1503
—, of glassy copolymers, hydrophilic, 1299
—, heats of, of macronet isoporous styrene polymers, 685
—, of polyurethanes, determination of M_c by, 2139
Swelling conditions, deformation and failure of polymeric matrices under, 1981
Synthesis conditions, effects of, on the characteristics of anion exchangers, 3701

Tacticity, influence of on thermal degradation of PVC, 33
Talc, as nucleating agent in foam extrusion of LDPE, 2961
Tartaric acid–H_2O_2 system, emulsion polymerization of vinyl acetate initiated by, 3041
Taylor diffusion in polymer solutions, falsification by slip effects, 1549(E)
TDI, polyurethane preparation from poly(ethylene adipate) and, DSC study of, 2281
Tear strength theory of semicrystalline polymers, 3011
Teflon, FEP, permeation of methyl chloride and benzene through, 209
Temperature, effect of, on solubility of organic materials, in PE, 725
Temperature profiles for nylon 6 polymerization in plug-flow reactors, 2261
TEM studies, 3235
TEM studies of anion exchange resin morphology using, 3701
TEM studies of tire cord adhesion, 3723
Tensile behavior, of PS–glass-bead composites, effect of interfacial adhesion on, 3809
Tensile modulus and molecular orientation in drawn and shrunk PET, 1195
Tensile properties, 2209
—, of $CaCO_3$-filled polyethylenes, 2701
—, of fiberglass-reinforced polyester foams, 1517
—, of zone-annealed isotactic PP fibers, 179
Tensile strength, of acrylonitrile–styrene copolymers, 3695
—, of deacetylated chitosan, 1909
Tensile stress, creep birefringence in cellulose derivatives under, 1539(N)
Tensile stress–strain measurements, of aged HIPS, 391

Terephthalic acid, thermotropic liquid crystalline polyesters based on, processing of, 1805
Tetraglycidyl diaminodiphenyl methane, cure of, with diaminodiphenylsulfone, 1011, 2131(E)
Tetraglycidyl-4,4-diaminodiphenyl methane, epoxy resin based on, 3301(N)
—, high-performance epoxy resins based on, 2227
Tetrazoles, as rubber chemicals, antioxidants based on, 3671
T_g, of aluminum hydroxide filled epoxy resin, 3075
—, of metal containing polyimide films, 2393
TGA, polyimides studied by, 191
—, study of polymer ignition by, 45
TGA–MS, study of Sn-modified cellulosic material using, 1919
TGA studies, 123, 1311, 2069, 2411, 3671
TG studies, 3019, 3235
Thermal analysis, of polyamideimides, 225
Thermal and biological properties of tin-modified cellulosic material derived from cotton, 1919
Thermal degradation, of polyurethane, 2317
Thermal-energy storage, in crosslinked pellets of high-density polyethylene, 2903
Thermal history, of isotactic PP, 3049
Thermal properties of modified polyurethane elastomers, relationship between the efficiency of antipyrens, 3019
Thermal stability, of grafted fibers, 3123
Thermocatalytic copolymerization of styrene with acrylonitrile, 3695
Thermogravimetric analysis, of PET degradation, 2887
Thermogravimetry, copolyesters studied by, 2291
—, of intumescent flame retardant PAN, 1743
Thermomechanical characterization of polymers, 161
Thermomechanical properties of particulate composites, effect of moisture absorption on, 3145
Thermoplastics, impact-resistant, poly(amide–ether) as, 2473
Thermosets, cure behavior of, model for, 2567
Thermosetting resins, viscoelastic properties of, 1729
Thermotropic liquid crystalline polyesters, improved processing of, 1805
Theta solvent, sedimentation velocity and diffusion measurements in, 2325
Thickening behavior, of unsaturated polyester and vinyl ester resins, 763
—, of unsaturated polyester resins, 779
4,4′-Thiodiphenol, polycondensation of phenylphosphonic dichloride with, 1119
$TiCl_3$–DEAC catalyst, modified, gas phase polymerization of propylene using, 3593(N)
Time-dependent characteristics, of sulfonated EPDM containing zinc stearate, 3321
Time–temperature dependence, of the complex modulus of keratin fibers, 1221
Time–temperature–transformation (TTT) cure diagram, for amine-cured epoxy resins, 2567
Tin mercaptide, stabilization of PVC by, 3349
Tire cord adhesion, a TEM study, 3723
Titanates, as coupling agents for nylon 6 composites, effects of, 3387
TMB, bisphenol A, diglycidyl ether of, cured by, 1077
TOA, study of poly(bisphenol-A-carbonate)-UV stabilizer blend glass transition by, 1685
p-Toluene sulfonic acid, sorption of, by nylon 66, 3281
p-Toluene sulfonyl hydrazone, reactive antioxidant for rubber based on, 3671
Torsional braid analysis, study of amine curing of epoxy resin using, 2567
Transesterification, of cyclomatrix poly(organo phosphazenes), 921
Transmission, O_2, of PE film, tear strength studied using, 3011
Transparency, of high-impact PS, 1409
Transport, of metal ions through membranes from poly(isobutylene-alternative co-maleic anhydride) and poly(vinyl alcohol), 1613
Transport of halogen ions through chitosan membranes, 1361
Transport properties, of drawn LDPE, 1815(N)
4,2′,4′-Triaminobenzanilide, phosphorus-containing polyimides based on, 2805
Triazine thiols, effect of, on *t*-butylhydroperoxide decomposition, 691
Triblock copolymer, use of, in compatibilization of PET–HDPE blends, 2947
Tributylborane, initiation of grafting of MMA, 87
Trichlorofluoromethane, as blowing agent, 2983
Trifluoroacetic acid, degradation of cellulose derivatives by, 1527
Trimethylolpropane trimethacrylate, radiation crosslinking of PVC with, 2083
—, radiation-curable coating based on, 2553
—, radiation-induced crosslinking of PVC using, 3527
Tris(3-aminophenyl)phosphine oxide, phosphorus-containing polyimides based on, 2805
Tris(*m*-aminophenyl)phosphine oxide, crosslinked polyimides prepared in presence of, 191
Trivalent-manganese-initiated graft copolymerization of acrylamide onto silk fibers, 1311
Tubular blown film extrusion, of LDPE, high-pressure, 3399
—, of LDPE, low-pressure, 3419
Tubular fiber, mechanics of, 3573
Tubular polymer reactor, modeling of, 887
Tubular reactor, with heat exchanger, for hydrolytic polymerization, of ε-caprolactam, 2527
Tung oil, reaction of 3-methylphenol with, 1147

UHMW PE, radiation-induced crystallinity in, effect of aging on, 861
Ultrahigh strength polyethylene fibers, 57
Unsaturated polyester resins, effects of additives on rheology of, 743
—, thickening behavior of vinyl ester resins and, 763
Unsaturation, in γ-irradiated PVC–stabilizer mixtures, 519
Urea–formaldehyde resin, hydrolytic degradation of, 3313
Urethane prepolymers and their corresponding crosslinked films, syntheses and properties of, 2509
UV absorber progenitors, 1159
UV-curable coatings, UV absorber progenitors for, 1159
UV-irradiated allyl resins, photosensitivity of, 11
UV irradiation, polarity of photoresponsive polymer, adsorbent changed by, 1321
UV spectroscopy, 1255
—, study of dehydrochlorinated poly(vinyl chloride-*g*-styrene) using, 1245
UV stabilizers, blends with poly(bisphenol-A-carbonate), study of glass transitions of, by DSC and TOA, 1685
—, grafting of, onto wood surfaces, 2093
—, plasticization of poly(bisphenol-A-carbonate) by, 1685

Vacuole formation, in particulate-filled thermosets, 3369
Vibrating reed mechanical spectrometer, data acquisition system for, 1545(N)
Vibration damping properties, of polyurethane compositions, 2187
Vinyl acetate, emulsion polymerization of, initiated by H_2O_2–tartaric acid system, 3041
Vinyl alkyl ethers, hybrid copolymerization of glycidyl ethers with, 3651
Vinyl alkyl ketone monomer, conformation and IR spectroscopy, 3093
Vinylbenzyl silane, coupling of PS to mica treated with, 3565
Vinyl chloride, AIBN-initiated polymerization of, 33
Vinyl ester resins thickening behavior of unsaturated polyester resins and, 763

Vinylidene chloride/vinyl chloride copolymer, miscible blends of, 1347
Vinyl lactam, hydrogel prepared from, by γ-irradiation, 2451(N)
Vinyl monomers, grafting of, onto nylon 6, 2673(N)
Vinyl polymers, modification of polyurethanes by addition of, 1033
1-Vinyl-2-pyrrolidone, fibers grafted with, thermal stability of, 3123
Viscoelasticity, dynamic, of zone-annealed isotactic PP fibers, 179
Viscoelastic properties, of thermosetting resins having isocyanurate and oxazolidone rings in their molecular structures, 1729
Viscoelastic properties of a gum vulcanizate at large static deformations, 1993
Viscoelastic properties of short-fiber-reinforced rubber composites and the role of adhesion, 3485
Viscoelastic properties of sulfonated ethylene–propylene terpolymer neutralized with zinc cation, 1717
Viscoelastic studies, of PVC dispersion resins, in plastisols, 807
Viscometric method for monitoring of condensation polymerization reactions, 2729
Viscometry, characterization of polyamide-hydrazides by, 2729
—, melt, multimethod procedure, 3105
—, solution, multimethod procedure, 3105
Viscometry studies, 3453
Viscosity, apparent, of starch–water–sucrose pastes, 1829
—, intrinsic, copolyesters studied by, 2291
—, intrinsic, of nylon-6-*g*-polyacrylamide, 2217
—, of PVC, 33
—, solution, anomalous, of spun PET filaments, 3619
—, solution, silylated silicic acids studied using, 2499
VRF, in mixtures of molten PE and fluorocarbon blowing agent, 831
—, in mixtures of PS and fluorocarbon blowing agent, 851
Vulcanizate, gum, viscoelastic properties of, 1993
Vulcanizates, *cis*-1,4-polyisoprene, isothermal degradation of, 3467
Vulcanization, of natural rubber, effect of clay on, 659

Waste materials, synthesis of oligoesteralcohols from, 431(N)
Water, dielectric studies of, in epoxy resins, 2363
Water absorption, in acrylic latex films, 1421
—, of amine-cured epoxy resin, effect of cure extent on, 2831
Water clustering, in epoxy resins, physical degradation by, 2881
Water glass, silylation of, 2499
Water permeation, in polymer films, 1535(N)
Water-soluble polymeric amides, partially imidized, 3611
Water-soluble polymers, hydantoin vinyl ether copolymers as, 343
Water transport, non-Fickian, through glassy copolymers, 1299
WAXD, study of PE–PP blends by, 605
Wear, of natural rubber, determined by blade abrasion, 709
Wide-angle x-ray diffraction studies, of nylon–ionomer blends, 2247
Willbourn's compensation method, for short-chain branching in polyethylene, 3707
WLF theory, calculation, of T_g for PAN from dielectric data, 2745
Wood adhesives, based on lignin wastes, 1969
Wood pulp, bleached, grafting of methyl acrylate onto, 3003(N)
Wood surfaces, grafting of UV stabilizers onto, 2093
Wool, sorption of simple ions by, 2813

Xanthate redox system, grafting onto pulps initiated by, 1371
X-ray diffraction, of polyamideimides, 225
—, silylated silicic acids studied using, 2499
—, study of microstructure of injection-molded parts using, 1787
—, study of poly(*p*-phenylene terephthalamide) fibers by, 579
—, study of Young's modulus of PET using, 1195
—, wide angle, studies, 2011
X-ray diffraction study of poly(ethylene terephthalate) film and fiber, 3599(N)
X-ray measurements, crystallinity of PET studied using, 2177
X-ray microscopy, 1465

Yeast, polycaprolactone degradation effected by, 335
Yield stress, of starch–water–sucrose pastes, 1829
Young's modulus, of drawn and shrunk PET, 1195
—, in UHMW PE, 1837

Zhurkov's approach to the strength of solids, 2623
Ziegler–Natta catalysis, ethylene–styrene diblock synthesis by, 961
Zimm–Stockmayer equation, 3105
Zinc stearate, plasticization of sulfonated EPDM, 1717
Zone-annealing method, preparation of isotactic PP by, 179